

RIFLE FIBER OPTIC GLOW 37-MR FRONT SIGHT - MARBLE ARMS .375" FIBER OPTIC GLOW 37-MR FRONT SIGHT STEEL GREEN

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Precision-made sights for rifles, both with and without ramp bases. The blade is gracefully contoured, sloping toward the front. Made of steel and nicely blued to look good on any gun. GLOW SIGHTS: Two colors - Orange or Green .060" dia. optic rod. RAMP MOUNTED - .340 wide base.



Attributes

- Name: [MARBLE ARMS .375" FIBER OPTIC GLOW 37-MR FRONT SIGHT STEEL GREEN](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579603726
- Mfr. No.: 603726
- Colour: Green
- Height: .375
- Material: Steel
- Style: Fiber Optic
- Weapon type: Universal Rifles
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373002584

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE FIBER OPTIC GLOW 37MR FRONT SIGHT
- About Us

Safety Instruction Guide for RIFLE FIBER OPTIC GLOW 37MR FRONT SIGHT

Introduction

Thank you for choosing the RIFLE FIBER OPTIC GLOW 37MR FRONT SIGHT by Marble Arms. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your new sight. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Always handle firearms with care and follow all safety protocols.
- Ensure that the sight is installed correctly to avoid any accidents.
- Regularly inspect the sight for damage or wear before use.
- Keep the sight and all firearm components out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Check the EU's Safety Gate platform for any recall updates regarding this product.

Specific Safety Precautions for Use

- Use only on compatible universal rifles as specified.
- Avoid using the sight in extreme weather conditions that may affect its performance.
- Do not modify the sight in any way; alterations may compromise safety.
- Ensure that the sight is securely mounted before using the firearm.
- Always wear appropriate eye protection when using firearms equipped with this sight.

Instructions for Installation and Usage

1. Select the Correct Sight Height

- Refer to the Marbles and/or Williams charts to determine the required sight height.
- Identify the appropriate Sight Style, Bead Type, and Width needed.

2. Find the Correct Ordering Number

- For example, if a Contoured Ramp Front Sight is needed, check the Height listing to find the desired figure.
- Read across on the "MR" line to identify bead type and note the 9digit Ordering No. (e.g., 579502911).

3. Installation Steps

- Ensure the firearm is unloaded before beginning installation.
- Remove any existing sight if applicable.
- Align the new sight with the mounting base, ensuring it fits securely.
- Tighten the sight using the provided screws or tools, ensuring it is firmly in place.

4. Usage Instructions

- Once installed, check the alignment of the sight with the rifle barrel.
- Adjust the sight as necessary for optimal accuracy.
- Regularly clean the sight to maintain visibility and performance.

Disposal Instructions

- When disposing of the sight, follow local regulations regarding electronic and metal waste.
- Ensure that the sight is disposed of in an environmentally friendly manner.
- Do not throw the sight in regular household waste; check for designated recycling centers.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk