

RIFLE FIBER OPTIC GLOW 41-MR FRONT SIGHT - MARBLE ARMS .410" FIBER OPTIC GLOW 41-MR FRONT SIGHT STEEL GREEN

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Precision-made sights for rifles, both with and without ramp bases. The blade is gracefully contoured, sloping toward the front. Made of steel and nicely blued to look good on any gun. GLOW SIGHTS: Two colors - Orange or Green .060" dia. optic rod. RAMP MOUNTED - .340 wide base.



Attributes

- Name: [MARBLE ARMS .410" FIBER OPTIC GLOW 41-MR FRONT SIGHT STEEL GREEN](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579604126
- Mfr. No.: 604126
- Colour: Green
- Height: .410
- Material: Steel
- Style: Fiber Optic
- Weapon type: Universal Rifles
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373002669

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE FIBER OPTIC GLOW 41MR FRONT SIGHT SAFETY INSTRUCTION GUIDE
- About Us

RIFLE FIBER OPTIC GLOW 41MR FRONT SIGHT SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the RIFLE FIBER OPTIC GLOW 41MR FRONT SIGHT by Marble Arms. This guide provides essential safety information, installation instructions, and proper usage guidelines to ensure your experience is safe and effective. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure the sight is compatible with your rifle before installation.
- Always handle firearms with care and follow standard safety practices.
- Keep the sight and all firearm components out of reach of children and unauthorized users.
- Inspect the sight for any damage before use. Do not use if damaged.
- Use only as directed and for the intended purpose.

Specific Safety Precautions for Use

- Avoid looking directly at bright light sources through the optic sight.
- Do not attempt to modify or disassemble the sight.
- Ensure that the sight is securely mounted to prevent accidents during use.
- Wear appropriate eye protection when using firearms equipped with this sight.
- Regularly check the sight's alignment and stability during use.

Instructions for Installation and Usage

1. Selecting the Right Sight Height

- Refer to the Marbles and/or Williams charts to determine the required sight height.
- Identify the appropriate Sight Style, Bead Type, and Width needed for your firearm.

2. Mounting the Sight

- Ensure the rifle is unloaded before beginning installation.
- Clean the mounting area on your rifle to ensure a secure fit.
- Align the sight with the mounting base, ensuring it fits snugly.
- Use appropriate tools to secure the sight, following the manufacturer's specifications.

3. Checking Alignment

- After installation, check the alignment of the sight.
- Adjust as necessary to ensure accurate aiming.

4. Using the Sight

- Familiarize yourself with the sight's features before use.
- Practice aiming in a safe environment to ensure comfort and accuracy.

Disposal Instructions

- Dispose of the sight in accordance with local regulations.
- Do not dispose of any components in household waste.

- Consider recycling options where available.

Contact Information for Further Support

For any inquiries related to safety or product performance, please reach out to the appropriate support channels available in your region. Ensure you have the product details ready for a more efficient assistance process.

Conclusion

Following these safety instructions will help ensure a safe and enjoyable experience with your RIFLE FIBER OPTIC GLOW 41MR FRONT SIGHT. Always prioritize safety when handling firearms and related accessories. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk