

RIFLE FIBER OPTIC GLOW 45-MR FRONT SIGHT - MARBLE ARMS .450" FIBER OPTIC GLOW 45-MR FRONT SIGHT STEEL GREEN

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Precision-made sights for rifles, both with and without ramp bases. The blade is gracefully contoured, sloping toward the front. Made of steel and nicely blued to look good on any gun. GLOW SIGHTS: Two colors - Orange or Green .060" dia. optic rod. RAMP MOUNTED - .340 wide base.



Attributes

- Name: [MARBLE ARMS .450" FIBER OPTIC GLOW 45-MR FRONT SIGHT STEEL GREEN](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579604526
- Mfr. No.: 604526
- Colour: Green
- Height: .450
- Material: Steel
- Style: Fiber Optic
- Weapon type: Universal Rifles
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373002744

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE FIBER OPTIC GLOW 45MR FRONT SIGHT
- About Us

Safety Instruction Guide for RIFLE FIBER OPTIC GLOW 45MR FRONT SIGHT

Introduction

Thank you for choosing the RIFLE FIBER OPTIC GLOW 45MR FRONT SIGHT by Marble Arms. This guide provides essential safety instructions and usage information to ensure safe and effective use of the product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the sight.
- Use the sight only on compatible rifles as specified by the manufacturer.
- Inspect the sight regularly for any signs of wear or damage.
- Ensure that the sight is securely mounted before use.
- Follow all local laws and regulations regarding firearms and accessories.
- Keep the sight and all firearms out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not attempt to modify the sight; alterations can compromise safety and performance.
- Avoid exposing the sight to extreme temperatures or harsh environmental conditions.
- Ensure that the fiber optic rod is not damaged, as this can affect visibility and accuracy.
- Use appropriate eye protection when shooting to prevent injury.

Instructions for Installation and Usage

1. Selecting the Right Sight Height:

- Refer to the Marbles and/or Williams charts to determine the required sight height.
- Identify the desired Sight Style, Bead Type, and Width from the provided information.

2. Installation Procedure:

- Ensure the firearm is unloaded.
- Remove any existing sight, if applicable.
- Align the new sight with the mounting base on the rifle.
- Securely fasten the sight using the appropriate tools. Ensure it is tight but do not overtighten.
- Doublecheck that the sight is level and properly aligned.

3. Usage Instructions:

- Before shooting, ensure the sight is clean and free from obstructions.
- Adjust your shooting position to ensure a clear view through the sight.
- Practice shooting with the new sight in a safe environment to become familiar with its use.

Disposal Instructions

- Dispose of the sight in accordance with local regulations.
- Do not dispose of the sight in regular household waste.
- If the sight is damaged or no longer usable, contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding your RIFLE FIBER OPTIC GLOW 45MR FRONT SIGHT, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy your shooting experience with the RIFLE FIBER OPTIC GLOW 45MR FRONT SIGHT!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk