

SIGHT PRO SIGHT MOVER - MGW MAIN SIGHT TOOL

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

Main Sight Tool - Now comes with the 30 degree pusher block for Glock and HK sights. A must have for Gunsmiths and Armorers. The Sight Pro uses a unique clamping shoe design, plus 4 slide support pads and a white nylon spacer block to lock the slide in place while adjusting or replacing sights. Two cuts on the lower section of the tool allow you to lock it in a bench vise. Redesigned to make it easier to swap out the pusher blocks. Shoes do not come with Sight Tool.



Main Sight Tool - Now comes with the 30 degree pusher block for Glock and HK sights. A must have for Gunsmiths and Armorers. The Sight Pro uses a unique clamping shoe design, plus 4 slide support pads and a white nylon spacer block to lock the slide in place while adjusting or replacing sights. Two cuts on the lower section of the tool allow you to lock it in a bench vise. Redesigned to make it easier to swap out the pusher blocks. Shoes do not come with Sight Tool. Slide Shoe - Unique clamping shoes are firearm specific. These work with the MGW Sight Pro.

Attributes

- Name: [MGW MAIN SIGHT TOOL](#)
- Manufacturer: [MGW](#)
- Product no.: 584000005
- Mfr. No.: MGWSP1000
- Delivery weight: 2.427kg
- Shipping height: 102mm
- Shipping width: 162mm
- Shipping length: 224mm

Item details

Made in USA

Table of Contents

- Startpage
- SIGHT PRO SIGHT MOVER MGW MAIN SIGHT TOOL Safety Instruction Guide
- About Us

SIGHT PRO SIGHT MOVER MGW MAIN SIGHT TOOL

Safety Instruction Guide

Introduction

Thank you for choosing the SIGHT PRO SIGHT MOVER MGW MAIN SIGHT TOOL. This tool is designed to assist gunsmiths and armorers in adjusting and replacing sights on various firearms. To ensure your safety and the effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that you are familiar with the specific firearm you are working on and its sighting system before using this tool.
- Always use the tool in a welllit and safe environment.
- Keep the tool out of reach of children and unauthorized users.
- Regularly inspect the tool for any signs of wear or damage before each use.
- Use the tool only for its intended purpose as described in the product specifications.
- If you experience any discomfort or notice any irregularities while using the tool, stop immediately and consult a professional.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment, such as safety glasses and gloves, when using the tool.
- Ensure that the firearm is unloaded and pointed in a safe direction before beginning any work.
- Do not force the tool beyond its intended limits; this may cause damage to the tool or the firearm.
- When adjusting or replacing sights, ensure that the clamping shoe is securely fastened to prevent slippage.
- Be cautious of sharp edges on the tool and the firearm; handle with care to avoid injury.
- If using the tool in conjunction with a bench vise, ensure that it is securely fastened to prevent movement.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your work area is clean and free from distractions.
- Gather all necessary tools and equipment before starting.

2. Clamping the Slide:

- Place the slide of the firearm onto the tool's support pads.
- Adjust the clamping shoe to securely hold the slide in place.
- Use the white nylon spacer block to further stabilize the slide.

3. Using the Pusher Block:

- Select the appropriate pusher block for your firearm model as per the specifications provided.
- Align the pusher block with the sight to be adjusted or replaced.
- Gently apply pressure to the pusher block to move the sight into the desired position.

4. Locking the Tool:

- If using a bench vise, insert the lower section of the tool into the vise and tighten securely.
- Ensure that the tool is stable before proceeding with any adjustments.

5. Final Checks:

- Once adjustments are complete, doublecheck that all components are securely fastened.
- Remove the slide from the tool and inspect the sight for proper alignment.

Disposal Instructions

- Dispose of the tool in accordance with local regulations regarding electronic and mechanical waste.
- If the tool is damaged beyond repair, ensure that it is rendered unusable before disposal to prevent accidental use.

Contact Information for Further Support

For questions or concerns regarding the SIGHT PRO SIGHT MOVER MGW MAIN SIGHT TOOL, please refer to the manufacturer's contact details provided with the product packaging or visit their official website for more information.

By following these guidelines, you can ensure a safe and effective experience while using the SIGHT PRO SIGHT MOVER MGW MAIN SIGHT TOOL. Always prioritize safety and consult a professional if you have any doubts about the tool's usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk