

SIGHT PRO & RANGEMASTER SIGHT MOVER SLIDE SHOES - MGW BERETTA APX SLIDE SHOE

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

Slide Shoe - Unique clamping shoes are firearm specific. These work with the MGW Sight Pro. SP102 fits Glock except G42 SP103 fits Springfield XD-S/Hellcat SP104 fits S&W M&P Shield only SP105 fits Colt 1911, Sig 1911, Bersa Thunder, Kimber Ultra Carry II, Springfield EMP 9mm, Para-Ordnance Carry 12 SP106 fits Springfield XD, XDM only SP107 fits S&W 3rd Generation 9mm SP108 fits FN 9mm/.40 cal(FNP, FNS, FNX) Forty-Nine/FNS-9C/FN509 SP109 fits Sig Sauer (P220, P225, P226, P228, P229, P239) SP110 fits Sig Pro Series SP111 fits Beretta 92 SP112 fits Beretta Cougar/PX4 SP113 fits HK USP/P2000/P30/P45 SP114 fits S&W M&P only SP115 fits Glock 42 and Glock 43 SP116 fits Ruger® SR Series® SP117 fits Bersa BP Series SP118 fits Colt Mustang .380, Kimber Micro Carry .380 SP119 fits Ruger® LC Series® SP120 fits Ruger® P Series™ SP121 fits CZ-75, Baby Eagle, CZ P09, Sphinx SDP Compact SP122 fits Sig Sauer P238 SP123 fits Sig Sauer P938 SP124 fits Browning Hi-Power, FEG Hi-Power, Tokarev SP125 fits S&W .380 Bodyguards, Kahr P380, Kimber Micro Carry 9 SP126 fits S&W Sigma SP127 fits S&W 3rd Generation .45 SP128 fits Steyer M40/MPS/M9-A1 SP129 fits FN .45 Cal(FNP .45, FNS .45, FNX .45) SP130 fits Kimber Solo Carry SP131 fits Walther P99/PPQ Canik TP9 (Century Arms), Canik Elite SP132 fits Kahr P40/CW40/PM9 SP133 fits Sig Sauer P320, Sig 250 SP134 fits Sig Sauer P224 SP135 fits Kahr P45 SP136 fits HK VP9 SP137 fits Sig P290 RS SP138 fits Grand Power P11 MK12 SP145 fits Ruger American SP146 fits Beretta APX



Attributes

- Name: [MGW BERETTA APX SLIDE SHOE](#)
- Manufacturer: [MGW](#)
- Product no.: 584000047
- Mfr. No.: MGWSP146
- Model: APX
- Weapon type: Beretta
- Delivery weight: 0.052kg
- Shipping height: 8mm
- Shipping width: 102mm
- Shipping length: 178mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT PRO & RANGEMASTER SIGHT MOVER SLIDE SHOES MGW BERETTA APX SLIDE SHOE
- About Us

Safety Instruction Guide for SIGHT PRO & RANGEMASTER SIGHT MOVER SLIDE SHOES MGW BERETTA APX SLIDE SHOE

Introduction

Thank you for choosing the SIGHT PRO & RANGEMASTER SIGHT MOVER SLIDE SHOES designed specifically for various firearm models. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that all safety precautions are followed when using the Slide Shoes.
- Always handle firearms in a safe and responsible manner.
- Keep the product away from children and unauthorized users.
- Regularly check for wear and tear on the Slide Shoes to maintain safety.
- Report any unsafe conditions or incidents to the appropriate authorities immediately.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before attaching or removing the Slide Shoes.
- Verify that the Slide Shoe is compatible with your firearm model to prevent accidents.
- Do not modify the Slide Shoes in any way, as this may compromise safety.
- Avoid using the Slide Shoes in wet or damp conditions to prevent slippage.
- Use appropriate personal protective equipment (PPE) when handling firearms.
- Ensure that the Slide Shoes are securely clamped before use to avoid accidental dislodging.

Instructions for Installation and Usage

1. Compatibility Check:

- Confirm that the Slide Shoe model matches your firearm model:
 - SP102: Glock (except G42)
 - SP103: Springfield XDS/Hellcat
 - SP104: S&W M&P Shield only
 - SP105: Colt 1911, Sig 1911, Bersa Thunder, Kimber Ultra Carry II, Springfield EMP 9mm, ParaOrdnance Carry 12
 - SP106: Springfield XD, XDM only
 - SP107: S&W 3rd Generation 9mm
 - SP108: FN 9mm/.40 cal (FNP, FNS, FNX) FortyNine/FNS9C/FN509
 - SP109: Sig Sauer (P220, P225, P226, P228, P229, P239)
 - SP110: Sig Pro Series
 - SP111: Beretta 92
 - SP112: Beretta Cougar/PX4
 - SP113: HK USP/P2000/P30/P45
 - SP114: S&W M&P only
 - SP115: Glock 42 and Glock 43
 - SP116: Ruger® SR Series®
 - SP117: Bersa BP Series
 - SP118: Colt Mustang .380, Kimber Micro Carry .380

- SP119: Ruger® LC Series®
- SP120: Ruger® P Series™
- SP121: CZ75, Baby Eagle, CZ P09, Sphinx SDP Compact
- SP122: Sig Sauer P238
- SP123: Sig Sauer P938
- SP124: Browning HiPower, FEG HiPower, Tokarev
- SP125: S&W .380 Bodyguards, Kahr P380, Kimber Micro Carry 9
- SP126: S&W Sigma
- SP127: S&W 3rd Generation .45
- SP128: Steyr M40/MPS/M9A1
- SP129: FN .45 Cal (FNP .45, FNS .45, FNX .45)
- SP130: Kimber Solo Carry
- SP131: Walther P99/PPQ, Canik TP9 (Century Arms), Canik Elite
- SP132: Kahr P40/CW40/PM9
- SP133: Sig Sauer P320, Sig 250
- SP134: Sig Sauer P224
- SP135: Kahr P45
- SP136: HK VP9
- SP137: Sig P290 RS
- SP138: Grand Power P11 MK12
- SP145: Ruger American
- SP146: Beretta APX

2. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Align the Slide Shoe with the firearm slide.
- Clamp the Slide Shoe securely according to the manufacturer's instructions.
- Doublecheck that the Slide Shoe is firmly attached and does not move.

3. Usage:

- Use the Slide Shoe only for its intended purpose.
- Follow all manufacturer instructions for the specific firearm model.
- Avoid any actions that could lead to accidental discharge of the firearm while using the Slide Shoe.

Disposal Instructions

- Dispose of the Slide Shoes in accordance with local regulations.
- Do not dispose of the Slide Shoes in regular household waste.
- Consider recycling options for materials if available.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please reach out to the manufacturer or authorized dealer for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk