

RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL - MGW RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

A High-End Precision Sight Tool Without the High-End Price

The MGW Rangemaster Universal Sight Tool delivers most of the functionality of MGW's flagship Sight Pro Tool in a more compact package that better fits the budget of the average pistol owner. The Sight Pro is rightly regarded by many professional pistolsmiths as one of the finest sight installation tools available and worth every penny of its asking price. But it is a substantial investment for the more casual gun-tinkerer or shooter who's hands-on about repairs and upgrades. MGW solves these folks' financial dilemma with their smaller Rangemaster Universal Sight Tool. The difference? The Rangemaster is limited to a .750" reach from the backside of the slide underlug to the front sight location. (For reference, the original Sight Pro has a full 1.750" reach for use on 1911s and long-slide competition pistols.) Otherwise, the function of the Rangemaster is exactly the same as the Sight Pro. Uses the same gun-specific slide shoes (sold separately) as the original Sight Pro. Click Slide Shoe Comes with standard pusher block for straight-side sights Also accepts other MGW pusher blocks (must be purchased separately) Top assembly available separately as MGWSP800-U for quick pusher block changes - simply swap the entire "top half" Sturdy, durable aluminum tool body plus stainless steel hardware ensure proper alignment of tool, slide and sight MGW designed the Rangemaster Universal Sight Tool to accept the same gun-specific slide shoe inserts as the Sight Pro. You buy only the inserts you need for the gun(s) you work on. And if you ever upgrade to the Sight Pro, the shoes you already have are 100% compatible.



Attributes

- Name: [MGW RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL](#)
- Manufacturer: [MGW](#)
- Product no.: 584000048
- Mfr. No.: MGWSP800
- Delivery weight: 2.2kg
- Shipping height: 135mm
- Shipping width: 246mm
- Shipping length: 137mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for the RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL
- About Us

Safety Instruction Guide for the RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL

Introduction

Thank you for choosing the RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of the product. Please read this document carefully to understand how to operate the tool safely and responsibly.

General Safety Guidelines

- Ensure that the tool is used only for its intended purpose, which is to assist in the installation and adjustment of firearm sights.
- Always follow the manufacturer's instructions for use and maintenance.
- Keep the tool out of reach of children and unauthorized users.
- Inspect the tool before each use to ensure it is in good working condition.
- Do not use the tool if it is damaged or malfunctioning.
- Be aware of your surroundings when using the tool, and ensure that no one is in the immediate area.
- Wear appropriate safety gear, such as safety glasses, when using the tool to protect against debris or accidental discharges.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded and pointed in a safe direction before using the sight tool.
- Use the tool only on compatible firearms as specified by the manufacturer.
- Do not exceed the specified reach of the tool (0.750 inches) when adjusting sights.
- Use only the recommended gunspecific slide shoes to avoid damage to the firearm or tool.
- When changing pusher blocks, ensure the tool is securely assembled to prevent accidental disassembly during use.
- Avoid applying excessive force when using the tool, as this may lead to damage or injury.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and in a safe condition.
- Gather all necessary components, including the RANGE MASTER tool and compatible slide shoes.

2. Tool Setup

- Attach the appropriate gunspecific slide shoe to the tool.
- Ensure that the slide shoe is properly secured and aligned.

3. Adjusting Sights

- Position the tool on the firearm, ensuring the pusher block is aligned with the sight being adjusted.
- Apply gentle pressure to the pusher block to adjust the sight as needed.
- Do not force the sight; if resistance is encountered, reassess the alignment and setup.

4. Final Checks

- After adjusting the sight, check for proper alignment and secure fit.
- Remove the tool and inspect the sight to ensure it is properly installed.

Disposal Instructions

- Dispose of the RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL in accordance with local regulations.
- Do not dispose of the tool in regular household waste if it contains any hazardous materials.
- Consider recycling options where applicable.

Contact Information for Further Support

For any inquiries or concerns regarding the RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL, please refer to the manufacturer's contact information provided on the product packaging or official website.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe and effective use of the RANGE MASTER COMPACT UNIVERSAL SIGHT TOOL. Always prioritize safety and compliance with local laws and regulations when handling firearms and related tools. Thank you for your attention, and enjoy using your new tool responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk