

RANGE MASTER REPLACEMENT PUSHER BLOCK - MGW SIGHT PUSHER BLOCK WITH 30 BEVEL

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

Critical Factory Replacement Part

MGW's replacement pusher block drops into your MGW Sight Pro or Range Master sight mover tools to replace a worn or damaged block and keep your tool operating correctly. The MGW sight tool replacement pusher block is machined from the same high-grade steel as the rest of your mover, and given the same durable, matte black finish. Installation is a simple, fast, drop-in process. Two versions of the replacement pusher block are available: 90-degree block is the standard part used with the majority of the sights you adjust with your MGW sight mover 30-degree block is specifically for use on Glock® and Hechler & Koch angled rear sights (and similar sights from other manufacturers) This is the pusher block ONLY - main tool is sold separately The MGW sight tool replacement pusher block helps to ensure your sight mover continues to deliver reliable service without risk of damage to your gun's expensive sights.



Attributes

- Name: [MGW SIGHT PUSHER BLOCK WITH 30 BEVEL](#)
- Manufacturer: [MGW](#)
- Product no.: 584000050
- Mfr. No.: MGWSP50
- Delivery weight: 0.113kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 178mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RANGE MASTER REPLACEMENT PUSHER BLOCK MGW SIGHT PUSHER BLOCK WITH 30 BEVEL
- About Us

Safety Instruction Guide for RANGE MASTER REPLACEMENT PUSHER BLOCK MGW SIGHT PUSHER BLOCK WITH 30 BEVEL

Introduction

Thank you for choosing the RANGE MASTER REPLACEMENT PUSHER BLOCK MGW SIGHT PUSHER BLOCK WITH 30 BEVEL. This guide provides essential safety instructions and guidelines to ensure the safe use of the product. It is important to follow these instructions carefully to prevent any accidents or injuries.

General Safety Guidelines

- Always read and understand the instructions before using the product.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any signs of damage or wear before use. Do not use if damaged.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the pusher block only with compatible MGW sight mover tools.
- Ensure the firearm is unloaded before attempting to adjust sights.
- Always wear appropriate safety gear, such as safety glasses, when using the tool.
- Avoid placing fingers or hands near moving parts during operation.
- Do not force the pusher block into position; ensure it fits properly.
- Handle the tool with care to prevent dropping, which may cause damage or injury.
- Store the tool in a safe place when not in use to prevent unauthorized access.

Instructions for Installation and Usage

1. Installation:

- Ensure the MGW Sight Pro or Range Master sight mover tool is clean and free from debris.
- Remove the worn or damaged pusher block from the tool.
- Align the replacement pusher block with the designated slot in the sight mover tool.
- Gently drop the pusher block into place until it is securely seated.

2. Usage:

- Confirm that the firearm is unloaded and pointing in a safe direction.
- Position the sight mover tool on the firearm's slide or frame, ensuring proper alignment.
- Adjust the sight mover tool according to the manufacturer's instructions.
- Use the pusher block to make precise adjustments to the sight.
- After use, remove the sight mover tool and inspect the sight adjustment.

Disposal Instructions

- Dispose of any damaged or worn pusher blocks in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check for any recycling programs in your area for metal components.

Contact Information for Further Support

For further assistance or inquiries regarding this product, please refer to the manufacturer or authorized dealer.

Thank you for your attention to these safety guidelines. By following these instructions, you can ensure safe and effective use of your RANGE MASTER REPLACEMENT PUSHER BLOCK MGW SIGHT PUSHER BLOCK WITH 30 BEVEL.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk