

RANGE MASTER REPLACEMENT PUSHER BLOCK - MGW RANGE MASTER REPLACEMENT PUSHER BLOCK

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

Critical Factory Replacement Part

MGW's replacement pusher block drops into your MGW Sight Pro or Range Master sight mover tools to replace a worn or damaged block and keep your tool operating correctly. The MGW sight tool replacement pusher block is machined from the same high-grade steel as the rest of your mover, and given the same durable, matte black finish. Installation is a simple, fast, drop-in process. Two versions of the replacement pusher block are available: 90-degree block is the standard part used with the majority of the sights you adjust with your MGW sight mover 30-degree block is specifically for use on Glock® and Hechler & Koch angled rear sights (and similar sights from other manufacturers) This is the pusher block ONLY - main tool is sold separately The MGW sight tool replacement pusher block helps to ensure your sight mover continues to deliver reliable service without risk of damage to your gun's expensive sights.



Attributes

- Name: [MGW RANGE MASTER REPLACEMENT PUSHER BLOCK](#)
- Manufacturer: [MGW](#)
- Product no.: 584000051
- Mfr. No.: MGWSP10
- Delivery weight: 0.118kg
- Shipping height: 6mm
- Shipping width: 89mm
- Shipping length: 178mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [RANGE MASTER REPLACEMENT PUSHER BLOCK Safety Instructions](#)
- [About Us](#)

RANGE MASTER REPLACEMENT PUSHER BLOCK

Safety Instructions

Introduction

Thank you for choosing the MGW Range Master Replacement Pusher Block. This product is designed to replace worn or damaged blocks in your MGW Sight Pro or Range Master sight mover tools, ensuring continued reliable service. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the replacement pusher block is compatible with your MGW sight mover tool.
- Always inspect the pusher block for any signs of damage before use.
- Follow all instructions provided with the sight mover tool when installing the replacement pusher block.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for any recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the correct version of the pusher block:
 - The 90degree block is suitable for most sights.
 - The 30degree block is specifically designed for Glock® and Hechler & Koch angled rear sights.
- Do not attempt to force the pusher block into the sight mover tool; it should drop in easily.
- Avoid using the sight mover tool with a damaged pusher block, as this may lead to further damage to your sights or the tool.
- When adjusting sights, ensure that the firearm is unloaded and pointed in a safe direction.

Instructions for Installation and Usage

1. Preparation

- Ensure the sight mover tool is clean and free of debris.
- Verify that the replacement pusher block is the correct type for your application.

2. Installation

- Remove the worn or damaged pusher block from the sight mover tool.
- Align the replacement pusher block with the designated slot in the tool.
- Gently drop the replacement pusher block into place, ensuring it fits securely.
- Confirm that the block is properly seated before use.

3. Usage

- Follow the manufacturer's instructions for adjusting sights with the sight mover tool.
- Always maintain a firm grip on the tool during use to ensure stability.
- After each use, inspect the pusher block for wear or damage.

Disposal Instructions

- Dispose of the worn or damaged pusher block in accordance with local regulations.
- Recycle materials whenever possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety or product use, please refer to the manufacturer's website or contact their customer service department directly.

Thank you for prioritizing safety while using the MGW Range Master Replacement Pusher Block. Your adherence to these guidelines helps ensure a safe and effective experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk