

1911 FRONT SIGHT ONLY SERRATED RAMP PLAIN BLK NARROW TENON - MGW 1911 FRONT SIGHT ONLY SERRATED RAMP PLAIN BLACK NARROW TENON

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Easy Installation, Low Profile

Front sight replaces a 1911 Auto's issue sights with minimum hassle. Corners and edges are rounded.



Attributes

- Name: [MGW 1911 FRONT SIGHT ONLY SERRATED RAMP PLAIN BLACK NARROW TENON](#)
- Manufacturer: [MGW](#)
- Product no.: 584006145
- Mfr. No.: MGW2061
- Colour: Black
- Height: .195
- Model: Commander, Government, Officers
- Outline: None
- Style: Ramp, Serrated
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.009kg
- Shipping height: 6mm
- Shipping width: 104mm
- Shipping length: 176mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 Front Sight Only Serrated Ramp Plain Black Narrow Tenon](#)
- [About Us](#)

Safety Instruction Guide for 1911 Front Sight Only Serrated Ramp Plain Black Narrow Tenon

Introduction

Thank you for choosing the 1911 Front Sight Only Serrated Ramp Plain Black Narrow Tenon. This product is designed to enhance your shooting experience by providing a reliable and effective sighting solution for your 1911 Auto. To ensure safe and effective use, please read and follow this safety instruction guide carefully.

General Safety Guidelines

- Always ensure your firearm is unloaded before installing or adjusting the front sight.
- Use protective eyewear when handling firearms to prevent injury.
- Keep the product out of reach of children and unauthorized users.
- Be aware of your surroundings when using firearms and ensure a safe shooting environment.
- Regularly inspect your front sight for any signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm modifications and usage.

Specific Safety Precautions for Use

- Ensure that the front sight is compatible with your specific 1911 model (Government, Commander, Officers).
- Check that the sight is securely installed before using your firearm.
- Do not attempt to modify the front sight or use it in a manner not specified in this guide.
- If you experience any issues with the sight, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

Installation Steps:

1. **Prepare Your Firearm:** Ensure your firearm is completely unloaded and pointed in a safe direction.
2. **Remove Old Sight:** Carefully remove the existing front sight using appropriate tools.
3. **Install New Sight:**
 - Align the new front sight with the tenon slot.
 - Press or tap the sight into place, ensuring it is secure.
4. **Check Alignment:** Verify that the sight is aligned properly with the rear sight.
5. **Secure Sight:** If applicable, use any securing screws or mechanisms to ensure the sight remains in place.

Usage Instructions:

- Use the front sight in conjunction with your rear sight for optimal accuracy.
- Regularly practice safe firearm handling and shooting techniques.
- Clean the sight as needed to maintain visibility and performance.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the front sight becomes damaged beyond repair, dispose of it in accordance with local regulations for hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Front Sight Only Serrated Ramp Plain Black Narrow Tenon, please refer to your local authorized dealer or manufacturer's support resources.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your 1911 Front Sight Only Serrated Ramp Plain Black Narrow Tenon. Always prioritize safety and compliance with local laws when handling firearms. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk