

SIGHT MOVER ADAPTER KIT FOR GLOCK® 42/43 - MGW ADAPTER KIT FOR GLOCK® 42/43

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

Glock 42/43 Adapter Kit fits the MGW309 and MGW309S Sight Movers to fit the compact Glock 42 and 43 pistols. The adapter kit includes the adapter spacer and the shoe. Does not include sight pusher body



Attributes

- Name: [MGW ADAPTER KIT FOR GLOCK® 42/43](#)
- Manufacturer: [MGW](#)
- Product no.: 584042043
- Mfr. No.: MGW309-42/43
- Model: 42,43
- Weapon type: Glock
- Delivery weight: 0.143kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 165mm

Item details

Made in USA

Table of Contents

- Startpage
- SIGHT MOVER ADAPTER KIT FOR GLOCK® 42/43 Safety Instruction Guide
- About Us

SIGHT MOVER ADAPTER KIT FOR GLOCK® 42/43

Safety Instruction Guide

Introduction

Thank you for purchasing the SIGHT MOVER ADAPTER KIT FOR GLOCK® 42/43 by MGW. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this manual carefully before using the adapter kit.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the adapter kit with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the adapter kit for any signs of wear or damage.
- If the product is found to be damaged, discontinue use immediately and seek replacement.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about any product recalls or safety alerts via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use the adapter kit only with the MGW309 and MGW309S Sight Movers.
- Ensure that the Glock 42 or 43 pistol is unloaded before installing or using the adapter kit.
- Follow all manufacturer instructions for the sight mover and adapter kit.
- Avoid using excessive force during installation to prevent damage to the firearm or adapter kit.
- Wear appropriate safety gear, such as eye protection, while using the adapter kit.
- Do not modify or alter the adapter kit in any way.

Instructions for Installation and Usage

1. Preparation

- Ensure the Glock 42 or 43 is unloaded and pointed in a safe direction.
- Gather all necessary tools and the adapter kit components (adapter spacer and shoe).

2. Installation of the Adapter Kit

- Remove any existing sights from the Glock 42 or 43.
- Attach the adapter spacer to the sight mover according to the manufacturer's instructions.
- Secure the shoe onto the adapter spacer, ensuring a snug fit.

3. Using the Adapter Kit

- Align the sight mover with the adapter kit and the Glock pistol.
- Carefully push the sight into place using the sight mover.
- Check the alignment of the sight and make adjustments as necessary.
- Once the sight is properly installed, remove the adapter kit and sight mover.

4. PostInstallation Check

- Inspect the installation to ensure the sight is secure.
- Test the functionality of the sight before using the firearm.

Disposal Instructions

- Dispose of the adapter kit in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding the safety and use of the SIGHT MOVER ADAPTER KIT FOR GLOCK® 42/43, please refer to the contact information provided by the manufacturer or retailer where the product was purchased.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk