

SEMI-AUTO SIGHT MOVER - MGW SIGHT MOVER FOR GLOCK®

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Movers](#)

Adjusts, Removes & Installs Sights Without Damage

Safely moves fixed sights right or left in their dovetails without deforming slide or sight. Specifically designed for use with factory and aftermarket Tritium night sights, which are too fragile for the traditional hammer-and-punch sight installation method; works equally well with iron sights. Thumbscrew securely locks the slide so it's fully supported in the rigid, machined aluminum body. Separate slots in the screw mechanism engage the sight and firmly, yet gently, concentrate screw force to loosen sights from even extremely tight dovetails. Hardened steel handle provides plenty of leverage, while self-lubricating, oil-impregnated Oilite® bronze bearings and extra-fine threads ensure smooth, precise movement. Beretta/Glock fit rear sights only. Glock Flat-Side fits aftermarket rear sights with straight, non-sloped sides for standard- and large-frame Glock pistols. SIG fits rear sights on all SIGs except SIG-PRO. 1911 will not work with most Kimber slide/sight combinations. Only works on rear sights. Not for installing or adjusting front sights.



Attributes

- Name: [MGW SIGHT MOVER FOR GLOCK®](#)
- Manufacturer: [MGW](#)
- Product no.: 584045017
- Mfr. No.: MGW309
- Model: Universal Handguns
- Weapon type: Glock
- Delivery weight: 0.771kg
- Shipping height: 56mm
- Shipping width: 112mm
- Shipping length: 224mm

Item details

Made in USA

Table of Contents

- Startpage
- SEMIAUTO SIGHT MOVER MGW SIGHT MOVER FOR GLOCK® Safety Instructions
- About Us

SEMI AUTO SIGHT MOVER MGW SIGHT MOVER FOR GLOCK® Safety Instructions

Introduction

Thank you for choosing the SEMIAUTO SIGHT MOVER MGW SIGHT MOVER FOR GLOCK®. This product is designed to safely move fixed sights on your Glock® without damaging the slide or sight. Please read this safety instruction guide thoroughly to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Always wear appropriate eye protection when using the sight mover.
- Inspect the sight mover for any damage before use. Do not use if damaged.
- Follow all instructions carefully to avoid accidents or injuries.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use the sight mover only on rear sights; it is not designed for front sight installation or adjustment.
- Ensure that the slide is securely locked in place using the thumbscrew before attempting to move the sight.
- Apply even pressure when loosening or adjusting sights to avoid damaging the dovetails or sights.
- Avoid using excessive force when moving sights; if resistance is felt, reassess the alignment and pressure applied.
- Do not attempt to use the sight mover on sights that are not compatible with the product specifications.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the slide from the firearm following the manufacturer's instructions.

2. Setting Up the Sight Mover:

- Place the slide into the rigid, machined aluminum body of the sight mover.
- Use the thumbscrew to securely lock the slide in place, ensuring full support.

3. Moving the Sight:

- Identify the sight that needs to be adjusted.
- Align the screw mechanism with the sight to engage it properly.
- Gently turn the thumbscrew to apply pressure on the sight.
- If the sight does not move, release pressure and reassess the alignment before attempting again.

4. Finalizing the Adjustment:

- Once the sight is in the desired position, ensure it is securely locked in place.
- Remove the slide from the sight mover and reassemble the firearm according to the manufacturer's instructions.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options if available.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the SEMIAUTO SIGHT MOVER MGW SIGHT MOVER FOR GLOCK®, please refer to the manufacturer's contact information included with your product packaging.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk