

# EJECTOR SCREW - MOSSBERG EJECTOR SCREW 12/20GA

[Shotgun Parts](#) > [Receiver & Action Parts](#) > [Ejector Parts](#) > [Ejector Screws](#)

Factory replacement ejector screw for Mossberg 500 shotguns chambered in 12 gauge and .410 bore.



## Attributes

- Name: [MOSSBERG EJECTOR SCREW 12/20GA](#)
- Manufacturer: [MOSSBERG](#)
- Product no.: 631000121
- Mfr. No.: 1539
- Model: 500
- Weapon type: Mossberg
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

# Table of Contents

- Startpage
- Ejector Screw Safety Instruction Guide
- About Us

# Ejector Screw Safety Instruction Guide

## Introduction

Thank you for purchasing the Ejector Screw for Mossberg 500 shotguns. This guide provides essential safety instructions and information to ensure safe and effective use of this product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Always handle the ejector screw with care to avoid injury.
- Ensure you are using the ejector screw specifically designed for Mossberg 500 shotguns.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the ejector screw for wear or damage before use.
- Do not modify or attempt to repair the ejector screw; use only factory replacement parts.
- Always wear appropriate safety gear, including eye protection, when handling firearms.

## Specific Safety Precautions for Use

- Ensure the shotgun is unloaded before installing or replacing the ejector screw.
- Follow the manufacturer's instructions for your Mossberg 500 shotgun when performing maintenance.
- Do not force the ejector screw into place; it should fit snugly without excessive force.
- If the ejector screw does not fit properly, consult a qualified gunsmith for assistance.
- Be aware of your surroundings and ensure you are in a safe environment when handling firearms.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the shotgun is completely unloaded.
- Gather necessary tools, including a screwdriver appropriate for the ejector screw.

### 2. Installation Steps

- Locate the ejector screw on your Mossberg 500 shotgun.
- Using the screwdriver, carefully remove the old ejector screw if applicable.
- Align the new ejector screw with the mounting hole.
- Gently insert the ejector screw and tighten it securely without overtorquing.
- Ensure the ejector moves freely and does not bind.

### 3. PostInstallation Check

- After installation, check that the ejector screw operates smoothly.
- Test the shotgun in a safe environment to confirm proper function.

## Disposal Instructions

- Dispose of any old or damaged ejector screws in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management services for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the Ejector Screw for Mossberg 500 shotguns, please consult the manufacturer's website or contact the product support team.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)