

EJECTOR SCREW - MOSSBERG EJECTOR SCREW .410 BORE

[Shotgun Parts](#) > [Receiver & Action Parts](#) > [Ejector Parts](#) > [Ejector Screws](#)

Factory replacement ejector screw for Mossberg 500 shotguns chambered in 12 gauge and .410 bore.



Attributes

- Name: [MOSSBERG EJECTOR SCREW .410 BORE](#)
- Manufacturer: [MOSSBERG](#)
- Product no.: 631000161
- Mfr. No.: 2355BL
- Model: 500
- Weapon type: Mossberg
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Ejector Screw Mossberg Ejector Screw .410 Bore Safety Instructions
- About Us

Ejector Screw Mossberg Ejector Screw .410 Bore Safety Instructions

Introduction

Thank you for purchasing the Ejector Screw for Mossberg 500 shotguns. This guide provides essential safety instructions and usage guidelines to ensure safe operation and maintenance of this product. Please read the entire manual carefully before using the ejector screw.

General Safety Guidelines

- Ensure that the product is suitable for your specific model (Mossberg 500) and gauge (.410 bore or 12 gauge).
- Always handle firearms with care and follow all safety regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the ejector screw for wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the shotgun is unloaded before performing any maintenance or installation.
- Use only the factory replacement ejector screw designed for the Mossberg 500 to avoid compatibility issues.
- Wear appropriate safety gear, such as safety glasses, when working with firearms.
- Do not attempt to modify the ejector screw or the shotgun in any way.
- If you are unsure about the installation or usage, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

Installation Steps

1. **Ensure Safety:** Verify that the shotgun is unloaded and pointed in a safe direction.
2. **Remove Existing Ejector Screw:**
 - Use the appropriate tool (screwdriver) to remove the old ejector screw.
 - Dispose of the old screw responsibly.
3. **Install New Ejector Screw:**
 - Align the new ejector screw with its designated hole.
 - Use the screwdriver to install the new screw securely, ensuring it is tightened but not overtightened.
4. **Function Check:**
 - After installation, perform a function check to ensure that the ejector operates correctly.
 - Test the shotgun in a safe environment to confirm proper operation.

Usage Guidelines

- After installation, always follow standard firearm safety practices.
- Regularly check the ejector screw for tightness and signs of wear.
- If you notice any issues with the ejector function, cease use and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the old ejector screw in accordance with local regulations.

- Ensure that any packaging materials are disposed of responsibly and in an environmentally friendly manner.

Contact Information for Further Support

For any questions or concerns regarding the Ejector Screw, please refer to your local Mossberg dealer or authorized service center for assistance. Always ensure that you have the correct product and installation guidance for your specific firearm model.

By following these safety instructions and guidelines, you can ensure safe and effective use of the Ejector Screw for your Mossberg 500 shotgun. Thank you for prioritizing safety in your firearm maintenance practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk