

S&W J FRAME OVERMOLDED HANDGUN FRONT SIGHTS - S&W FRONT SIGHT, RED

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Improved Visibility In All Light Conditions

Replacement front sights work in conjunction with factory rear sights to give you fast sight acquisition in most light conditions. Machined steel body uses overmolded technology to completely cover and protect the light gathering, polymer LightPipe with an extra layer of clear polymer. Fits J frame revolvers with sub 3" or shorter barrel and pinned front sight blade. Sight is not predrilled; gunsmith fitting recommended. Available with red or green light rod.



Attributes

- Name: [S&W FRONT SIGHT, RED](#)
- Manufacturer: [HIVIZ](#)
- Product no.: 638000083
- Mfr. No.: SW1001-R
- Color: Red
- Height: .150
- Make: Smith & Wesson
- Model: J Frame
- Outline: None
- Style: Fiber Optic
- Width: .125
- Delivery weight: 0.045kg
- Shipping height: 8mm
- Shipping width: 99mm
- Shipping length: 168mm
- UPC: 613485587500

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for S&W J FRAME OVERMOLDED HANDGUN FRONT SIGHTS](#)
- [About Us](#)

Safety Instruction Guide for S&W J FRAME OVERMOLDED HANDGUN FRONT SIGHTS

Introduction

Thank you for choosing the S&W J FRAME OVERMOLDED HANDGUN FRONT SIGHTS. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Always treat your handgun as if it is loaded, even if you believe it is not.
- Ensure that you are familiar with the operation of your firearm and the specific installation of the front sight.
- Use only compatible models: This product is designed for J frame revolvers with a barrel length of 3 inches or shorter and a pinned front sight blade.
- Store your handgun and accessories in a secure location, out of reach of children and unauthorized users.
- Regularly check for any wear or damage to your front sight and other firearm components.
- In case of any doubts or issues, seek assistance from a qualified gunsmith.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure the firearm is unloaded before beginning installation.
- Use proper tools to avoid damaging the front sight or firearm.
- Do not attempt to modify the front sight; it is not predrilled and requires professional fitting.

• Usage Precautions:

- Be aware of your surroundings and ensure a safe shooting environment.
- Use appropriate eye and ear protection while shooting.
- Avoid using the firearm under adverse weather conditions that may affect visibility.

• Age Restrictions:

- This product is intended for use by individuals aged 18 and older. Ensure that younger individuals are supervised by a responsible adult when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a gunsmithing tool kit.
- Ensure you have a clean and well-lit workspace.

2. Installation:

- Confirm that your firearm is unloaded.
- Remove the existing front sight blade if applicable.
- Position the new front sight in place, ensuring it fits securely.
- As the sight is not predrilled, consult a qualified gunsmith for proper fitting.
- Verify that the sight is aligned with the rear sight for optimal accuracy.

3. Usage:

- Once installed, familiarize yourself with the sighting system.
- Practice shooting in a controlled environment to gauge performance under various lighting conditions.
- Adjust your shooting technique as necessary to accommodate the new sight.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the product is damaged or no longer usable, dispose of it in accordance with local regulations for hazardous materials.
- Ensure that any firearms and accessories are stored securely until disposal.

Contact Information for Further Support

For any questions or concerns regarding the S&W J FRAME OVERMOLDED HANDGUN FRONT SIGHTS, please refer to the product packaging or visit the manufacturer's website for more information. It is important to have access to safety resources and support when handling firearms.

By following these guidelines, you can help ensure your safety and the safety of those around you while using your new front sight. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at