

# SHOTGUN FRONT SIGHTS - BD1007-G SPARK II SIGHT, GREEN

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

BD1007-G - Threaded front bead replacement. Spark II sight, Green. Packaged with 5 threaded studs (6/48, 3/56, 5/40, 3mm x .5 & 3mm x .6) to fit all common shotguns with removable front bead.



## Attributes

- Name: [BD1007-G SPARK II SIGHT, GREEN](#)
- Manufacturer: [HIVIZ](#)
- Product no.: 638000088
- Mfr. No.: BD1007
- Make: Universal Shotguns
- Model: -
- Sight Color: Green
- Style: Fiber Optic Beads
- Delivery weight: 0.005kg
- Shipping height: 1mm
- Shipping width: 58mm
- Shipping length: 160mm
- UPC: 613485585209

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for SHOTGUN FRONT SIGHTS BD1007G SPARK II SIGHT, GREEN
- About Us

# Safety Instruction Guide for SHOTGUN FRONT SIGHTS BD1007G SPARK II SIGHT, GREEN

## Introduction

Thank you for purchasing the SHOTGUN FRONT SIGHTS BD1007G SPARK II SIGHT, GREEN. This product is designed to enhance your shooting experience by providing a clear and accurate sighting solution for your shotgun. Please read and follow these safety instructions carefully to ensure safe operation and maintenance of your new sight.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a front sight for shotguns.
- Always handle firearms with care and follow standard firearm safety practices.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sight for any damage or wear before use.
- If you notice any defects or issues, do not use the sight and contact a qualified professional for assistance.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the shotgun is unloaded before installing or adjusting the sight.
- Use appropriate eye and ear protection while shooting.
- Be aware of your surroundings and ensure a safe shooting environment.
- Do not modify the sight or use it in a manner not specified in the instructions.
- Avoid using the sight in extreme weather conditions that may affect visibility or performance.

## Instructions for Installation and Usage

### 1. Installation:

- Gather the necessary tools, including a screwdriver suitable for the threaded studs.
- Select the appropriate threaded stud from the package (6/48, 3/56, 5/40, 3mm x .5, or 3mm x .6) based on your shotgun's specifications.
- Carefully unscrew the existing front bead from the shotgun.
- Screw in the chosen threaded stud securely, ensuring it is aligned properly.
- Attach the Spark II sight to the threaded stud, ensuring it is firmly in place.

### 2. Usage:

- Once installed, ensure the sight is properly adjusted for your shooting needs.
- Practice using the sight in a safe and controlled environment before using it in the field.
- Regularly check the sight for stability and alignment before each use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and nonelectronic waste.
- Do not dispose of the sight in regular household waste.
- Consider recycling options where available.

## **Contact Information for Further Support**

For any inquiries related to safety, installation, or product performance, please reach out to the manufacturer or your point of purchase. Ensure you have your product details ready for efficient assistance.

Thank you for prioritizing safety and enjoy your shooting experience with the SHOTGUN FRONT SIGHTS BD1007G SPARK II SIGHT, GREEN.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)