

NOVAK STYLE LITEWAVE FRONT SIGHT - HIVIZ .330"X65 DEG 1911 LITEWAVE FRONT SIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

The new LITEWAVE sight design from HIVIZ features an innovative, diagonal-wave design that increases durability to the protective exoskeleton and allows for more exposed surface area for the LITEPIPE to gather light from all angles, for the brightest sight available. LITEWAVE Front Sight fits Novak style cut dovetail .330"x.075x65 degrees. Blade is .180" high. Includes interchangeable LitePipes in red, green, and white.



Attributes

- Name: [HIVIZ .330"X65 DEG 1911 LITEWAVE FRONT SIGHT](#)
- Manufacturer: [HIVIZ](#)
- Product no.: 638000205
- Mfr. No.: NVLW01
- Colour: Green
- Height: .180
- Model: Commander, Government
- Outline: None
- Style: Fiber Optic
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.045kg
- Shipping height: 20mm
- Shipping width: 96mm
- Shipping length: 167mm
- UPC: 613485589122

Item details

Made in USA

Table of Contents

- Startpage
- NOVAK STYLE LITEWAVE FRONT SIGHT Safety Instruction Guide
- About Us

NOVAK STYLE LITEWAVE FRONT SIGHT Safety Instruction Guide

Introduction

Thank you for choosing the NOVAK STYLE LITEWAVE FRONT SIGHT by HIVIZ. This guide provides essential safety instructions and guidelines to ensure the safe use of your new front sight. Please read this document carefully before installation and use.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the front sight.
- Use the front sight only with compatible models as specified in the product description.
- Store the front sight in a safe, dry place away from children and unauthorized users.
- Regularly inspect the front sight for any signs of damage or wear.
- If you notice any defects or issues, discontinue use and consult a qualified gunsmith.

Specific Safety Precautions for Use

- The LITEWAVE front sight is designed for use with the 1911 models, specifically Government and Commander types. Ensure compatibility before installation.
- Avoid using the front sight in extreme weather conditions, such as heavy rain or snow, as this may affect performance.
- Do not modify the front sight in any way, as this can compromise safety and functionality.
- Use only the recommended LitePipes (red, green, or white) provided with the product. Other colors or types may not perform as intended.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing front sight from the dovetail cut of the firearm using appropriate tools.
- Clean the dovetail cut to remove any debris or residue.
- Align the LITEWAVE front sight with the dovetail cut and gently tap it into place using a nonmarring tool.
- Confirm that the sight is securely installed and properly aligned.

2. Usage:

- Familiarize yourself with the sight picture before using the firearm.
- Adjust your shooting stance and grip to ensure proper alignment with the front sight.
- Practice shooting in a safe and controlled environment to become accustomed to the new sight.

Disposal Instructions

- Dispose of the front sight according to local regulations for electronic and nonmetallic waste.
- If the product is damaged beyond use, consult local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding product safety, installation, or usage, please refer to the contact information

provided on the packaging or the manufacturer's website.

Thank you for following these safety guidelines. Your safety is our priority, and we wish you a safe and enjoyable experience with your new NOVAK STYLE LITEWAVE FRONT SIGHT.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk