

RIFLE FIBER OPTIC FRONT SIGHT - HIVIZ .315" FIBER OPTIC FRONT SIGHT STEEL MULTI

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Eye Grabbing Dot For Fast Target Acquisition

Six, interchangeable, fiber optic rods offer a choice of sights to match nearly all shooting and light conditions. The glowing, orange and green light pipes provide a crisp sight picture that gives greater contrast against dark target backgrounds.



Attributes

- Name: [HIVIZ .315" FIBER OPTIC FRONT SIGHT STEEL MULTI](#)
- Manufacturer: [HIVIZ](#)
- Product no.: 638115000
- Mfr. No.: DOVM-315
- Colour: Multi
- Height: .315
- Material: Steel
- Style: Fiber Optic
- Weapon type: Universal Rifles
- Delivery weight: 0.018kg
- Shipping height: 3mm
- Shipping width: 99mm
- Shipping length: 168mm
- UPC: 613485584462

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE FIBER OPTIC FRONT SIGHT HIVIZ .315"
- About Us

Safety Instruction Guide for RIFLE FIBER OPTIC FRONT SIGHT HIVIZ .315"

Introduction

Thank you for choosing the RIFLE FIBER OPTIC FRONT SIGHT HIVIZ .315". This guide provides essential safety instructions to ensure the safe use of your product. Please read this document carefully to understand how to use, install, and dispose of the product safely.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose: as a front sight for rifles.
- Always handle firearms with care and follow all applicable firearm safety rules.
- Keep the sight and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the sight for any damage or wear before use. Do not use if damaged.
- Be aware of your surroundings and ensure a safe shooting environment at all times.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms equipped with this sight.
- Ensure that the fiber optic rods are properly installed and secured before use.
- Do not attempt to modify or alter the sight in any way, as this may compromise safety.
- Be cautious of the light conditions; the fiber optic rods are designed to enhance visibility but may not be effective in complete darkness.
- Avoid using the sight if the light pipes are cracked or damaged.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction before starting the installation.
2. Remove the existing front sight from the rifle if necessary.
3. Align the RIFLE FIBER OPTIC FRONT SIGHT with the standard 3/8" dovetail.
4. Secure the sight in place according to the manufacturer's specifications, ensuring it is tightly fitted.
5. Insert the desired fiber optic rod into the sight. Choose from the available sizes:
 - 1/16" (1.5mm)
 - 3/32" (2.4mm)
 - 1/8" (3.1mm)
6. Ensure the light pipes are clean and free of debris for optimal visibility.

Usage

- When aiming, focus on the target while ensuring the fiber optic rods are aligned properly.
- Adjust your stance and grip to maintain stability and accuracy.
- After use, clean the sight gently with a soft cloth to maintain its condition.

Disposal Instructions

- Dispose of the sight in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the sight in regular household waste.
- If the sight is damaged or no longer usable, consider recycling the materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the product, please consult the manufacturer's website or customer support resources for assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your RIFLE FIBER OPTIC FRONT SIGHT HIVIZ .315". Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk