

COVER PLATE for GLOCK® - BLACK COVER PLATE FOR GLOCK®

[Handgun Parts](#) > [Slide Parts](#) > [Slide Hardware](#) > [Slide Covers](#)

Durable Replacement To Factory Part Easy, Drop-On Installation

Hard-coat anodized, silver or black aluminum, cover plate personalizes the look of your Glock® and replaces the plastic, factory part for added strength. Installs and removes more easily than the factory cover plate for maintenance access.



Attributes

- Name: [BLACK COVER PLATE FOR GLOCK®](#)
- Manufacturer: [LIGHTNING STRIKE](#)
- Product no.: 642000016
- Mfr. No.: LS9000BLK
- Make: Glock
- Model: Universal Handguns
- Delivery weight: 0.005kg
- Shipping height: 8mm
- Shipping width: 79mm
- Shipping length: 170mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [COVER PLATE for GLOCK® Safety Instruction Guide](#)
- [About Us](#)

COVER PLATE for GLOCK® Safety Instruction Guide

Introduction

Thank you for purchasing the COVER PLATE for GLOCK®. This guide provides essential safety information, installation instructions, and maintenance tips to ensure safe and effective use of your new product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the COVER PLATE is compatible with your specific Glock model before installation.
- Always handle the firearm and accessories with care and follow all standard firearm safety practices.
- Inspect the COVER PLATE for any visible defects or damages before installation. Do not use if damaged.
- Keep the COVER PLATE and all firearm accessories out of reach of children and unauthorized users.
- In case of any doubts regarding the installation or usage of the COVER PLATE, seek assistance from a qualified professional.

Specific Safety Precautions for Use

- The COVER PLATE is designed to replace the factory plastic part. Ensure a secure fit to avoid any operational issues.
- Do not attempt to modify the COVER PLATE or use it in any manner other than intended.
- Avoid exposure to extreme temperatures and chemicals that may affect the integrity of the aluminum material.
- Regularly check the fit and condition of the COVER PLATE to ensure it remains secure during use.
- If you experience any unusual behavior with your firearm after installation, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation (if required).

2. Installation Steps:

- Remove the factory plastic cover plate from your Glock by following the manufacturer's instructions.
- Align the COVER PLATE with the mounting area on your Glock.
- Gently press the COVER PLATE into place until it is secure. Ensure there are no gaps or misalignments.
- Confirm that the COVER PLATE is firmly attached by lightly tugging on it.

3. Usage:

- Once installed, the COVER PLATE allows for easy access to the internal components of your Glock for maintenance.
- Regularly clean and inspect the COVER PLATE along with your firearm to ensure optimal performance.

Disposal Instructions

- Dispose of the COVER PLATE responsibly. Do not discard it in regular household waste.
- If you need to dispose of the COVER PLATE, consider recycling it according to local regulations for aluminum products.
- Ensure that all parts are disposed of in a manner that does not pose a risk to the environment or public safety.

Contact Information for Further Support

For any inquiries regarding safety or product information, please consult your retailer or a qualified professional. It is important to have access to reliable assistance for any concerns you may have about your COVER PLATE for GLOCK®.

Thank you for choosing the COVER PLATE for GLOCK®. Your safety is our priority. Please follow these instructions carefully to ensure a safe and enjoyable experience with your product.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at