

TITANIUM SAFETY PLUNGER for GLOCK® - LIGHTNING STRIKE LARGE SAFETY PLUNGER

[Handgun Parts](#) > [Safety Parts](#) > [Safety Plungers](#)

Helps You Get A Smoother, Lighter Trigger Pull

Extremely lightweight titanium safety plunger reduces mass for a lighter felt trigger pull. Titanium nitride coating reduces friction. One of those small detail that helps complete a Glock® trigger job. Includes Wolff safety plunger spring.



Attributes

- Name: [LIGHTNING STRIKE LARGE SAFETY PLUNGER](#)
- Manufacturer: [LIGHTNING STRIKE](#)
- Product no.: 642102017
- Mfr. No.: LS2024
- Model: 21,30,37,39,36,38
- Weapon type: Glock
- Delivery weight: 0.009kg
- Shipping height: 8mm
- Shipping width: 79mm
- Shipping length: 173mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- TITANIUM SAFETY PLUNGER Safety Instructions
- About Us

TITANIUM SAFETY PLUNGER Safety Instructions

Introduction

Thank you for choosing the TITANIUM SAFETY PLUNGER for your GLOCK® firearm. This product is designed to enhance the performance of your trigger system while ensuring safety during use. Please read this safety instruction guide carefully to ensure proper handling and operation of the product.

General Safety Guidelines

- Ensure that the TITANIUM SAFETY PLUNGER is compatible with your specific GLOCK® model.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the safety plunger for any signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU Safety Gate platform.

Specific Safety Precautions for Use

- Before installation, ensure that the firearm is unloaded and pointed in a safe direction.
- Wear appropriate eye protection during installation and use.
- Do not modify the safety plunger or any other components of your firearm beyond manufacturer specifications.
- Ensure that the safety plunger is installed correctly to avoid accidental discharge.
- If you experience any malfunctions, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded.
- Gather necessary tools for installation (e.g., screwdriver, pliers).

2. Installation

- Remove the existing safety plunger from the firearm.
- Carefully install the TITANIUM SAFETY PLUNGER, ensuring it is seated properly.
- Replace the Wolff safety plunger spring according to the manufacturer's instructions.
- Doublecheck that all components are secure.

3. Usage

- Test the trigger pull to ensure it feels lighter and responsive.
- Regularly check the safety plunger for proper function during routine maintenance.
- If you notice any irregularities in trigger performance, consult a qualified professional.

Disposal Instructions

- Dispose of the TITANIUM SAFETY PLUNGER in accordance with local regulations for hazardous waste.
- Do not dispose of the product in regular household waste.
- Contact your local waste management facility for guidance on safe disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the TITANIUM SAFETY PLUNGER, please refer to the manufacturer's website or customer support.

By following these safety instructions, you can ensure a safe and effective experience with your TITANIUM SAFETY PLUNGER. Thank you for prioritizing safety in your firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk