

# 1911 AUTO BARREL LINK KIT - NOWLIN 1911 AUTO BARREL LINK KIT

[Handgun Parts](#) > [Barrel Parts](#) > [Barrel Link Parts](#) > [Barrel Links](#)

Increase accuracy and correct barrel function problems with these long-wearing machined, heat-treated, hardened, 416 stainless steel links. Sizes: #1, .268; #2, .273; #3 .278 (Colt) #4, .283 & #5, .288.



## Attributes

- Name: [NOWLIN 1911 AUTO BARREL LINK KIT](#)
- Manufacturer: [NOWLIN](#)
- Product no.: 654000066
- Mfr. No.: N226-S
- Weapon type: 1911
- Delivery weight: 0.011kg
- Shipping height: 5mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 085382302478

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 AUTO BARREL LINK KIT](#)
- [About Us](#)

# Safety Instruction Guide for 1911 AUTO BARREL LINK KIT

## Introduction

Thank you for purchasing the 1911 AUTO BARREL LINK KIT by NOWLIN. This guide provides essential safety instructions and guidelines to ensure the safe installation and use of this product. Please read this manual thoroughly before using the product to understand its features and safety precautions.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always wear appropriate safety gear, including eye protection, when handling firearms and related components.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for wear and damage. Do not use if any parts are worn or broken.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Only use the 1911 AUTO BARREL LINK KIT with compatible firearms as specified by the manufacturer.
- Do not modify the links or use them in a manner not intended by the manufacturer.
- Ensure that the firearm is unloaded before installing or replacing the barrel link.
- Avoid exposing the product to extreme temperatures or corrosive environments that may affect its integrity.
- Follow all local laws and regulations regarding the use of firearm components.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather all necessary tools for installation, such as a punch tool and hammer.

### 2. Installation Steps

- Remove the existing barrel link from the firearm using the punch tool.
- Select the appropriate size link from the kit based on your firearm specifications (sizes: #1, .268; #2, .273; #3, .278 (Colt); #4, .283; #5, .288).
- Insert the new barrel link into the barrel assembly.
- Use the punch tool to secure the link in place, ensuring it is properly aligned.
- Reassemble the firearm according to the manufacturer's instructions.

### 3. PostInstallation Check

- Inspect the installation to ensure that the link is securely in place and there are no obstructions.
- Perform a function check of the firearm to confirm that it operates correctly with the new barrel link.

## **Disposal Instructions**

- Dispose of any old or damaged parts in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the 1911 AUTO BARREL LINK KIT, please refer to the manufacturer's website or contact their customer service. Always ensure that you have the product details at hand when seeking assistance.

By following these safety instructions, you can help ensure the safe and effective use of your 1911 AUTO BARREL LINK KIT. Thank you for choosing NOWLIN.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)