

1911 MATCH GRADE SPRING - NOWLIN MATCH SEAR SPRING

[Handgun Parts](#) > [Trigger Group Parts](#) > [Sear Parts](#) > [Sear Springs](#)

Premium Quality For Competition Pistols

Made from premium-quality, drawn and tempered, chrome silicon wire or high-carbon steel for the very best in performance and durability. Fully tested and guaranteed to perform. Best combination of tension and pressure for light, match-quality trigger jobs. High-carbon steel with skeltonized leaves for even pressure, correct travel.



Attributes

- Name: [NOWLIN MATCH SEAR SPRING](#)
- Manufacturer: [NOWLIN](#)
- Product no.: 654253000
- Mfr. No.: 253
- Model: Commander, Government, Officers
- Weapon type: 1911
- Delivery weight: 0.009kg
- Shipping height: 8mm
- Shipping width: 81mm
- Shipping length: 191mm
- UPC: 085382301495

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Match Grade Spring Nowlin Match Sear Spring
- About Us

Safety Instruction Guide for 1911 Match Grade Spring Nowlin Match Sear Spring

Introduction

Thank you for choosing the 1911 Match Grade Spring Nowlin Match Sear Spring. This product is designed to enhance the performance and durability of your firearm. It is crucial to follow the safety guidelines outlined in this manual to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always handle firearms with care and ensure they are unloaded when installing or adjusting components.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- In case of any malfunction or abnormal performance, cease use immediately and consult a qualified gunsmith.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is compatible with the 1911 Match Grade Spring Nowlin Match Sear Spring before installation.
- Use only highquality tools when installing or adjusting the spring to prevent damage.
- Wear safety glasses and protective gear during installation to safeguard against potential injuries.
- Do not modify the spring beyond the manufacturer's specifications, as this may compromise safety and performance.
- Be aware of the tension and pressure settings for light, matchquality trigger jobs to prevent accidental discharges.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a punch tool and a small hammer.

2. Installation:

- Remove the existing sear spring from the firearm using the punch tool.
- Carefully install the 1911 Match Grade Spring Nowlin Match Sear Spring in the designated area.
- Ensure that the spring is properly seated and aligned.

3. Adjustment:

- Test the trigger pull to ensure proper functionality.
- Make any necessary adjustments to achieve the desired tension and pressure settings.

4. Final Inspection:

- Conduct a thorough inspection to ensure all components are secure.
- Test the firearm in a safe environment to confirm that the installation was successful and that the trigger operates smoothly.

Disposal Instructions

- Dispose of the product responsibly according to local regulations.
- Do not throw the product in general waste; instead, take it to a designated recycling facility if available.

Contact Information for Further Support

For any inquiries or concerns regarding the 1911 Match Grade Spring Nowlin Match Sear Spring, please consult your local firearms dealer or manufacturer for assistance.

By adhering to these safety guidelines and instructions, you can ensure the safe and effective use of your 1911 Match Grade Spring Nowlin Match Sear Spring. Thank you for prioritizing safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk