

1911 FRONT WHITE DOT DOVETAIL SIGHTS - NOVAK GOVT, WHITE, .225" HEIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

CNC machined, steel, dovetail front sight won't snag on your holster during presentation. Available with a big, .075" dot for fast sight recognition.

Requires use of a 65° x.330" dovetail cutter to cut the proper Novak dovetail; roll pin inserts in front to stake sight in place.



Attributes

- Name: [NOVAK GOVT, WHITE, .225" HEIGHT](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662000012
- Mfr. No.: DFS02-4.225
- Colour: White
- Height: .225
- Model: Government
- Outline: None
- Style: White Dot
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 FRONT WHITE DOT DOVETAIL SIGHTS NOVAK GOVT
- About Us

Safety Instruction Guide for 1911 FRONT WHITE DOT DOVETAIL SIGHTS NOVAK GOVT

Introduction

Thank you for choosing the 1911 Front White Dot Dovetail Sights by Novak. This guide provides essential safety instructions and guidelines for the proper use, installation, and disposal of your product. Please read this document carefully to ensure safe and effective use.

General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or handling the sights.
- Use the product only as intended and according to the instructions provided.
- Inspect the product regularly for any signs of wear or damage.
- Keep the sights out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure you are using the correct dovetail cutter (65° x .330") to avoid damaging the sight or your firearm.
- Do not attempt to modify the sights beyond the manufacturer's specifications.
- If you experience difficulty during installation or use, seek assistance from a qualified gunsmith.
- Avoid using the sights in extreme conditions (e.g., heavy rain, extreme temperatures) to maintain performance.
- Be aware of your surroundings and ensure a clear line of sight when aiming.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather the necessary tools, including the 65° x .330" dovetail cutter and roll pin punch.

2. Installation:

- Carefully cut the dovetail slot on the slide of your firearm using the specified dovetail cutter.
- Insert the front sight into the dovetail slot, ensuring it is properly aligned.
- Use a roll pin to stake the sight in place. Ensure it is secure but do not overtighten to avoid damaging the sight.

3. Usage:

- Familiarize yourself with the sight alignment and how it affects your aim.
- Practice aiming and shooting in a safe environment to ensure you are comfortable with the new sights.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials.
- Check with local authorities for proper disposal options for metal components.

Contact Information for Further Support

For any questions or concerns regarding the installation or use of your 1911 Front White Dot Dovetail Sights, please consult a qualified gunsmith or contact the manufacturer directly.

By following these guidelines, you can ensure the safe and effective use of your sights. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk