

1911 REAR NIGHT SIGHTS - NOVAK TRIT. LM 1911 2-DOT WN,FRT ST .175"-.200",RR BLD .720"X.450"

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

No-Snag Shape, Low Light Visibility

Competition plain, target-style, undercut blade with protected notch. Hangs over the rear of the slide and extends sight radius for quicker, more precise sighting. Lo-Mount has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. Wide Notch (WN) has enlarged , .140" notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. Helps aging eyes see front sight more easily. Browning Hi Power models fit the Mark II models.



Attributes

- Name: [NOVAK TRIT. LM 1911 2-DOT WN,FRT ST .175"-.200",RR BLD .720"X.450"](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662000029
- Mfr. No.: LMC03WN
- Model: Commander, Government, Officers
- Sight Color: Tritium
- Style: 2-Dot, Wide-Notch
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Rear Night Sights Novak Tritium
- About Us

Safety Instruction Guide for 1911 Rear Night Sights Novak Tritium

Introduction

Thank you for choosing the 1911 Rear Night Sights Novak Tritium. This guide provides important safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is suitable for your firearm model (Government, Commander, Officers).
- Always handle firearms with care and follow all safety protocols.
- Inspect the sight for any visible damage before installation.
- Keep the product out of reach of children and unauthorized users.
- If you experience any issues with the sight, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the sight in any way.
- Ensure that the sight is securely mounted before using the firearm.
- Avoid using the sight in extreme environmental conditions (e.g., heavy rain, extreme heat).
- Be aware of your surroundings when using the firearm equipped with this sight.
- Regularly check the sight for wear and tear, particularly the tritium illumination.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing rear sight from the firearm using the appropriate tools.
- Align the Novak Tritium sight with the factory dovetail.
- Securely install the sight using a dovetail cutter (65° x .495").
- Verify that the sight is firmly in place and does not move.

2. Usage:

- Familiarize yourself with the sight picture before using the firearm.
- Practice aiming with the sight in a controlled environment.
- Use the sight in lowlight conditions to assess its effectiveness.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the sight contains tritium, follow specific regulations for hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the 1911 Rear Night Sights Novak Tritium, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of your 1911 Rear Night Sights Novak Tritium. Always prioritize safety and consult professionals if you have any questions or concerns. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk