

RUGER® LCR® MEGA DOT FRONT SIGHTS - NOVAK RUGER® LCR® MEGA DOT TRITIUM NIGHT SIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

High-visibility replacement front sight comes with a bright, light-gathering fiber optic rod or a self-illuminating Tritium insert to provide immediate sight acquisition in a broad range of light conditions. The eye is immediately drawn to the big, .125" diameter dot for fast, instinctive targeting. Precision-machined steel body provides maximum protection of the inserts. Installs on factory sight lug. Some fitting required; gunsmith installation recommended.



Attributes

- Name: [NOVAK RUGER® LCR® MEGA DOT TRITIUM NIGHT SIGHT](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662000096
- Mfr. No.: RFS-LCR-MT
- Colour: Green
- Height: .265
- Model: LCR
- Outline: White
- Style: Night Sight
- Weapon type: Ruger
- Width: .225
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for RUGER® LCR® MEGA DOT FRONT SIGHTS
- About Us

Safety Instructions for RUGER® LCR® MEGA DOT FRONT SIGHTS

Introduction

Thank you for choosing the RUGER® LCR® MEGA DOT FRONT SIGHTS. This guide provides important safety instructions and guidelines to ensure the safe use and installation of this product. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that you are familiar with the operation and handling of firearms before installing or using this product.
- Always treat all firearms as if they are loaded.
- Keep the product out of reach of children and unauthorized users.
- Use the product only for its intended purpose.
- Regularly inspect the sight for any signs of wear or damage.
- Follow all local laws and regulations regarding firearms and accessories.

Specific Safety Precautions for Use

- Do not use the sight in conditions where visibility is severely impaired.
- Ensure that the sight is properly installed and secured before use.
- Avoid using the sight if it appears to be damaged or malfunctioning.
- Use appropriate eye protection when handling firearms equipped with this sight.
- Be aware of your surroundings and ensure a safe backdrop when shooting.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing front sight from the RUGER® LCR®.
- Align the RUGER® LCR® MEGA DOT FRONT SIGHT with the factory sight lug.
- Some fitting may be required; gunsmith installation is recommended for optimal results.
- Secure the sight in place according to the manufacturer's specifications.

2. Usage

- Familiarize yourself with the sight's features and how it interacts with your firearm.
- Practice using the sight in a controlled environment before taking it to the range.
- Adjust your shooting stance and grip as necessary to accommodate the sight.

Disposal Instructions

- Follow local regulations for the disposal of firearm accessories.
- Do not dispose of the product in regular household waste.
- Contact local authorities or recycling centers for safe disposal options.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the manufacturer's contact details

provided with your product packaging.

Thank you for prioritizing safety and compliance while using the RUGER® LCR® MEGA DOT FRONT SIGHTS. Your cooperation ensures a safer experience for all users.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk