

MEGA DOT TRITIUM DOVETAIL FRONT SIGHTS - NOVAK MEGA DOT TRITIUM FRONT SIGHT .180"

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Replacement front sight features a highly visible white ring surrounding a self-illuminating Tritium insert that really makes the front sight stand out in all light conditions. Mounts in a standard Novak dovetail (65° x .330" x .075") and can be secured with the included roll pin. Precision-machined steel body provides maximum protection of insert. Some fitting required; gunsmith installation recommended.



Attributes

- Name: [NOVAK MEGA DOT TRITIUM FRONT SIGHT .180"](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662000098
- Mfr. No.: DFS02MD6180
- Colour: Green
- Height: .180
- Outline: White
- Style: Night Sight
- Weapon type: Universal Handguns
- Width: .145
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MEGA DOT TRITIUM DOVETAIL FRONT SIGHTS
- About Us

Safety Instruction Guide for MEGA DOT TRITIUM DOVETAIL FRONT SIGHTS

Introduction

Thank you for choosing the MEGA DOT TRITIUM DOVETAIL FRONT SIGHT. This guide provides essential safety instructions to ensure safe usage and installation of your new front sight. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is suitable for your specific firearm model.
- Always handle firearms with care and follow all safety protocols.
- Inspect the front sight for any damage or defects before installation.
- Use protective eyewear when installing or handling sights.
- Keep out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- The Tritium insert provides illumination; however, it is not a substitute for proper sight alignment.
- Do not attempt to modify or alter the front sight in any way.
- Ensure the front sight is securely mounted to prevent it from becoming loose during use.
- Avoid exposing the front sight to extreme temperatures or harsh chemicals.
- If you experience any issues with the front sight, cease use and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a roll pin punch and hammer.
- Ensure your firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Remove the existing front sight from your firearm using the appropriate tools.
- Clean the dovetail area to ensure a proper fit.
- Align the MEGA DOT TRITIUM FRONT SIGHT in the dovetail slot.
- Secure the sight using the included roll pin; gently tap it into place with a hammer.
- Verify that the sight is firmly in place and properly aligned.

3. Usage Tips

- Familiarize yourself with the sighting system before using the firearm.
- Practice using the front sight in various lighting conditions to understand its performance.
- Regular maintenance checks are recommended to ensure the sight remains in optimal condition.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consult your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any further inquiries or support regarding the MEGA DOT TRITIUM DOVETAIL FRONT SIGHT, please reach out to the manufacturer or your point of purchase.

Thank you for your attention to these safety instructions. Enjoy your new front sight responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk