


TARGET RING TRITIUM FRONT SIGHT KIMBER - NOVAK TARGET RING TRITIUM FRONT SIGHT, KIMBER

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Dovetail mounted, roll-pinned sights (except Kimber) resist shoot-off. Easily changed for different loads or conditions. Bright Tritium dot draws your eye in low light. TARGET RING - Includes white ring surrounding tritium dot. TRITIUM - Bright, Tritium dot only for shooters who find the white ring distracting.



Attributes

- Name: [NOVAK TARGET RING TRITIUM FRONT SIGHT, KIMBER](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662006150
- Mfr. No.: DFSK-6.150
- Colour: Green
- Height: .150
- Model: 1911
- Outline: White
- Style: Night Sight
- Weapon type: Kimber
- Width: .125
- Delivery weight: 0.005kg
- Shipping height: 4mm
- Shipping width: 62mm
- Shipping length: 100mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TARGET RING TRITIUM FRONT SIGHT KIMBER NOVAK](#)
- [About Us](#)

Safety Instruction Guide for TARGET RING TRITIUM FRONT SIGHT KIMBER NOVAK

Introduction

Thank you for choosing the TARGET RING TRITIUM FRONT SIGHT for your Kimber 1911. This guide is designed to provide you with essential safety information and instructions to ensure safe and effective use of your product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions to prevent accidents and injuries.
- Regularly inspect the sight for any signs of damage or wear. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Always handle firearms responsibly and in compliance with local laws and regulations.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always treat your firearm as if it is loaded.
- Ensure the firearm is pointed in a safe direction when installing or adjusting the sight.
- Avoid using the sight in conditions where visibility is severely compromised, as this may affect aiming accuracy.
- Be aware of your surroundings and ensure that no one is in your line of fire.
- If the tritium dot appears dim or is not visible, do not use the sight until it has been replaced.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Using a proper tool, carefully remove the existing front sight from your Kimber 1911.
- Align the dovetail of the TARGET RING TRITIUM FRONT SIGHT with the dovetail slot on the firearm.
- Gently tap the sight into place using a nonmarring tool. Ensure it is securely fitted.
- Check that the sight is aligned properly before use.

2. Usage:

- When aiming, focus on the tritium dot in low light conditions, as it is designed to enhance visibility.
- If using the white ring variant, ensure that it does not distract you during aiming.
- Regularly practice with the sight to become familiar with its features and performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding hazardous materials.
- Do not dispose of the sight in regular household waste. Contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the TARGET RING TRITIUM FRONT SIGHT, please refer to the

manufacturer's official website or customer service channels for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk