

TARGET RING TRITIUM RING FRONT SIGHT OFFICERS - NOVAK TARGET RING TRITIUM FRONT SIGHT, OFF. ACP 165" HEIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Dovetail mounted, roll-pinned sights (except Kimber) resist shoot-off. Easily changed for different loads or conditions. Bright Tritium dot draws your eye in low light. TARGET RING - Includes white ring surrounding tritium dot. TRITIUM - Bright, Tritium dot only for shooters who find the white ring distracting.



Attributes

- Name: [NOVAK TARGET RING TRITIUM FRONT SIGHT, OFF. ACP 165" HEIGHT](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662007165
- Mfr. No.: DFS016165
- Colour: Green
- Height: .165
- Model: Officers
- Outline: White
- Style: Night Sight
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TARGET RING TRITIUM RING FRONT SIGHT
- About Us

Safety Instruction Guide for TARGET RING TRITIUM RING FRONT SIGHT

Introduction

Thank you for choosing the TARGET RING TRITIUM RING FRONT SIGHT. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is compatible with your firearm model.
- Inspect the product for any visible damage or defects before installation.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Store the product in a secure location, out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only with firearms designed for the TARGET RING TRITIUM RING FRONT SIGHT.
- Do not attempt to modify or alter the product in any way.
- Avoid exposing the product to extreme temperatures or harsh chemicals.
- Ensure that the tritium dot is visible and functioning before use.
- If the tritium dot appears damaged or is not glowing, discontinue use and consult a professional.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing front sight according to the manufacturer's instructions.
- Align the TARGET RING TRITIUM RING FRONT SIGHT with the dovetail mount.
- Secure the sight using the roll pin provided, ensuring it is firmly in place.
- Check for proper alignment and adjust as necessary.

2. Usage:

- Use the sight in low light conditions to take advantage of the tritium dot.
- Practice regularly to become familiar with the sighting system.
- Always maintain proper firearm safety practices while using the sight.

Disposal Instructions

- Dispose of the product in accordance with local regulations for hazardous materials.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the TARGET RING TRITIUM RING FRONT SIGHT, please refer to the manufacturer's contact information included with the product packaging.

Thank you for prioritizing safety in your use of the TARGET RING TRITIUM RING FRONT SIGHT. Your adherence to

these guidelines helps ensure a safe and enjoyable shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk