

SIG P226 9MM MAGAZINES - PRO MAG SIG P226 9MM, 15 RDS

[Magazines](#) > [Handgun Magazines](#) > [Magazines](#)

Made from the finest materials for strength and durability. High carbon, steel bodies; chrome silicon music wire springs take a 'set' and then resist gradual weakening over time. Followers and mag pads are injection molded from unbreakable polymer to stand up to rough treatment without cracking.



Attributes

- Name: [PRO MAG SIG P226 9MM, 15 RDS](#)
- Manufacturer: [PRO MAG](#)
- Product no.: 687000006
- Mfr. No.: SIG-A1
- Capacity: 15-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Material: Steel
- Model: P226
- Weapon type: Sig Sauer
- Delivery weight: 0.023kg
- Shipping height: 38mm
- Shipping width: 69mm
- Shipping length: 226mm
- UPC: 708279006425

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- SIG P226 9MM Magazines Safety Instruction Guide
- About Us

SIG P226 9MM Magazines Safety Instruction Guide

Introduction

Thank you for choosing the SIG P226 9MM Magazines by PRO MAG. This guide provides essential safety instructions to ensure the safe use and maintenance of your magazines. Please read this guide carefully before use to understand how to handle and care for your product responsibly.

General Safety Guidelines

- Always treat all firearms and magazines as if they are loaded.
- Store magazines in a secure location, out of reach of children and unauthorized users.
- Inspect magazines regularly for signs of wear or damage.
- Do not modify the magazine or its components in any way.
- Use only compatible ammunition as specified by the manufacturer.
- Follow all local laws and regulations regarding firearm and magazine ownership and use.

Specific Safety Precautions for Use

- Ensure that the magazine is properly seated in the firearm before use.
- Avoid using magazines that show signs of damage, such as cracks or bent components.
- Do not overload the magazine beyond its specified capacity (15 rounds).
- Use caution when loading and unloading the magazine to prevent accidental discharge.
- Keep fingers away from the trigger and the magazine well when loading or unloading.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is pointed in a safe direction and is unloaded.
- Align the magazine with the magazine well of the firearm.
- Push the magazine firmly into the well until it clicks into place.

2. Loading:

- Hold the magazine securely in one hand.
- Use the other hand to load rounds into the magazine, ensuring they are oriented correctly.
- Do not exceed the magazine's capacity of 15 rounds.
- Check that the rounds are seated properly.

3. Unloading:

- Point the firearm in a safe direction.
- Press the magazine release button to remove the magazine from the firearm.
- Remove any remaining rounds from the magazine by pushing them out from the top.

4. Maintenance:

- Clean the magazine regularly to ensure optimal performance.
- Use a soft cloth to wipe down the steel body and polymer components.
- Avoid using harsh chemicals that may damage the magazine.

Disposal Instructions

- Dispose of the magazine according to local regulations.
- If the magazine is damaged or no longer functional, do not attempt to repair it.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding your SIG P226 9MM Magazines, please reach out to the appropriate EUbased contact point or manufacturer support. It is important to have access to assistance when needed.

Conclusion

By following these safety instructions, you can ensure the safe use of your SIG P226 9MM Magazines. Always prioritize safety and compliance with local laws. Thank you for your attention to these guidelines, and enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk