

1911 HAMMER, SEAR & GRIP SAFETY SHIMS - 1911 HAMMER/GRIP SAFETY SHIMS, 10-PAK

[Handgun Parts](#) > [Trigger Group Parts](#) > [Hammer Parts](#) > [Hammer Shims](#)

Eliminates Unwanted "Play" For A Smooth, Consistent Trigger Pull

Insert these precision-manufactured shims between the frame and the fire control parts on your 1911 Auto for a smoother, more consistent-feeling trigger pull without replacing components. Removes unwanted side-to-side movement and provides a quick fix for out-of-tolerance hammers, sears, grip safeties, and frames. Machined from stainless steel, fully hardened and tempered for long wear. Sold in 10 paks.



Attributes

- Name: [1911 HAMMER/GRIP SAFETY SHIMS, 10-PAK](#)
- Manufacturer: [POWER CUSTOM](#)
- Product no.: 713000094
- Mfr. No.: 1911HS
- Make: 1911
- Model: Commander, Government, Officers
- Delivery weight: 0.023kg
- Shipping height: 10mm
- Shipping width: 99mm
- Shipping length: 119mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [1911 Hammer, Sear & Grip Safety Shims Safety Instruction Guide](#)
- [About Us](#)

1911 Hammer, Sear & Grip Safety Shims

Safety Instruction Guide

Introduction

Thank you for purchasing the 1911 Hammer, Sear & Grip Safety Shims. These precisionmanufactured shims are designed to enhance the performance of your 1911 Auto by providing a smoother and more consistent trigger pull. This guide provides essential safety instructions, installation guidelines, and contact information for further support.

General Safety Guidelines

- Ensure safe use of the product by following all instructions.
- Regularly inspect the shims for wear and tear before use.
- Only use the shims with compatible models: Colt 1911 Auto and its clones.
- Keep the shims out of reach of children and vulnerable groups.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not attempt to use the shims if they show signs of damage or wear.
- Ensure that the firearm is unloaded and safe before installation or maintenance.
- Follow all firearm safety protocols when handling your 1911 Auto.
- Use protective eyewear when working on your firearm to prevent injury.
- Do not modify the shims in any way as this may lead to safety hazards.

Instructions for Installation and Usage

1. Preparation

- Ensure your 1911 Auto is completely unloaded and in a safe condition.
- Gather necessary tools for installation, including a screwdriver and any other required tools.

2. Installation Steps

- Remove the grip safety and any affected fire control parts from the frame.
- Clean the area where the shims will be installed to ensure a proper fit.
- Insert the shims between the frame and the fire control parts. Ensure they are seated properly.
- Reassemble the grip safety and any other components removed during installation.
- Check for proper function by testing the trigger pull and ensuring there is no unwanted movement.

3. PostInstallation Checks

- After installation, conduct a thorough function check of the firearm.
- Ensure there are no obstructions or issues with the trigger pull.
- If any problems are detected, disassemble the firearm and recheck the installation of the shims.

Disposal Instructions

- Dispose of any damaged or worn shims in accordance with local regulations.
- Do not throw shims in regular household waste. Check for recycling options or hazardous waste disposal methods in your area.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Hammer, Sear & Grip Safety Shims, please refer to the manufacturer's contact information provided with your product packaging.

By following these guidelines, you can ensure the safe and effective use of the 1911 Hammer, Sear & Grip Safety Shims. Thank you for prioritizing safety and performance in your firearm.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at