

# 10/22® ALLEN HEAD BARREL SCREWS - POWER CUSTOM RUGER 10/22 ALLEN HEAD BARREL SCREWS, S/S

[Rifle Parts](#) > [Receiver Parts](#) > [Takedown Parts](#) > [Screws](#)

Power Custom Stainless Steel Allen Head Cap Screws are used to secure the barrel to the receiver using a V-Block for the Ruger® 10-22®. 2 screws per package. Includes 5/32" allen wrench.



## Attributes

- Name: [POWER CUSTOM RUGER 10/22 ALLEN HEAD BARREL SCREWS, S/S](#)
- Manufacturer: [POWER CUSTOM](#)
- Product no.: 713000171
- Mfr. No.: NONE
- Model: 10/22
- Weapon type: Ruger
- Delivery weight: 0.009kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 102mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 10/22® Allen Head Barrel Screws](#)
- [About Us](#)

# Safety Instruction Guide for 10/22® Allen Head Barrel Screws

## Introduction

Thank you for choosing the 10/22® Allen Head Barrel Screws from Power Custom. This guide provides essential safety instructions to ensure the safe use and installation of the product. Please read all instructions carefully before use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to secure the barrel to the receiver of the Ruger® 10/22® using a VBlock.
- Keep the screws and allen wrench out of reach of children and pets.
- Inspect the screws for any damage or defects before installation. Do not use damaged screws.
- Use only the provided 5/32" allen wrench for installation to avoid stripping the screw heads.
- Follow all local regulations regarding the use and installation of firearm accessories.

## Specific Safety Precautions for Use

- Always wear safety glasses when installing or removing screws to protect your eyes from potential debris.
- Ensure the firearm is unloaded and pointed in a safe direction before beginning installation.
- Do not overtighten the screws, as this may damage the barrel or receiver.
- If you experience resistance while installing a screw, stop and check for proper alignment before proceeding.
- Keep the work area clean and free of clutter to avoid accidents.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is unloaded and the area is clear of distractions.
- Gather all necessary tools, including the 10/22® Allen Head Barrel Screws and the 5/32" allen wrench.

### 2. Installation:

- Align the barrel with the receiver in the VBlock.
- Insert the first screw into the designated hole and handtighten it to ensure proper alignment.
- Using the 5/32" allen wrench, tighten the screw until secure, but do not overtighten.
- Repeat the process for the second screw.
- After installation, doublecheck that both screws are secure.

### 3. PostInstallation Check:

- After installation, perform a visual inspection to ensure that there are no loose parts.
- Test the stability of the barrel by gently shaking it to ensure it is securely attached.

## Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local waste disposal regulations.
- Do not dispose of screws in a way that could pose a risk to the environment or public safety.

## **Contact Information for Further Support**

For safety inquiries or further assistance, please reach out to the designated EUbased contact point for this product.

## **Conclusion**

Following these safety instructions will help ensure a safe and effective installation of your 10/22® Allen Head Barrel Screws. Always prioritize safety and consult with a professional if you have any doubts about the installation process. Thank you for your attention to these important safety guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)