


CYLINDER BEARINGS - POWER CUSTOM PC-J2 .002 (.051MM) THICK SMITH & WESSON J CENTERFIRE

[Gunsmith Tools](#) > [Handgun Tools](#) > [Chamber Tools](#)

Quickly Eliminates Excess Cylinder/Yoke Endplay

It's easy to eliminate excess cylinder and yoke endplay with these stainless steel bearings. Made by pistolsmith Ron Power as an alternative to stretching the yoke. Whether rebuilding worn guns or building custom ones, these will help turn out a 1st-class job. Each pak contains 10 bearings of 1 thickness.



Attributes

- Name: [POWER CUSTOM PC-J2 .002 \(.051MM\) THICK SMITH & WESSON J CENTERFIRE](#)
- Manufacturer: [POWER CUSTOM](#)
- Product no.: 713100001
- Mfr. No.: PCJ2
- Model: J Frame
- Weapon type: Smith & Wesson
- Delivery weight: 0.023kg
- Shipping height: 5mm
- Shipping width: 109mm
- Shipping length: 221mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for CYLINDER BEARINGS POWER CUSTOM PCJ2
- About Us

Safety Instruction Guide for CYLINDER BEARINGS POWER CUSTOM PCJ2

Introduction

Thank you for choosing the CYLINDER BEARINGS POWER CUSTOM PCJ2. This product is designed to enhance the performance of your Smith & Wesson J Frame firearm by eliminating excess cylinder and yoke endplay. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always handle firearms and firearm components with care.
- Ensure that the CYLINDER BEARINGS are installed correctly to avoid potential hazards.
- Keep all products out of reach of children and unauthorized users.
- Regularly check for product recalls or safety updates on the EU Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installation of the bearings.
- Use protective eyewear when handling or installing the bearings to guard against potential debris.
- Avoid using excessive force during installation to prevent damage to the bearings or firearm.
- Inspect the bearings for any signs of damage or wear before use.
- Only use the bearings with compatible models as specified (S&W K, L, N).

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation (e.g., screwdriver, pliers).

2. Installation:

- Remove the existing cylinder bearings from the firearm.
- Clean the bearing surfaces to remove any debris or residue.
- Carefully install the new CYLINDER BEARINGS by placing them into the designated slots.
- Ensure that the bearings fit snugly without excessive force.

3. PostInstallation Check:

- After installation, manually check the cylinder for smooth rotation.
- Ensure that there is no excessive endplay by gently moving the cylinder back and forth.

4. Usage:

- Use the firearm in accordance with the manufacturer's guidelines and safety practices.
- Regularly inspect the bearings during routine maintenance.

Disposal Instructions

- Dispose of any damaged or worn bearings in accordance with local regulations.
- Do not dispose of bearings in household waste. Check for recycling options in your area.

Contact Information for Further Support

For any inquiries regarding product safety or performance, please reach out to your local authorized dealer or visit the official website of the manufacturer.

By following these guidelines, you can help ensure a safe and effective experience with your CYLINDER BEARINGS POWER CUSTOM PCJ2. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk