

# RECOIL SPRING FOR SIG SAUER P229 - P229 RECOIL SPRING, BLUE, TWO TONE 16LBS

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Factory replacement recoil spring for Sig Sauer P229.



## Attributes

- Name: [P229 RECOIL SPRING, BLUE, TWO TONE 16LBS](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 732000265
- Mfr. No.: 1203721R
- Make: Sig Sauer
- Model: P229
- Delivery weight: 0.005kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 798681214471

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for RECOIL SPRING FOR SIG SAUER P229
- About Us

# Safety Instruction Guide for RECOIL SPRING FOR SIG SAUER P229

## Introduction

Thank you for choosing the RECOIL SPRING FOR SIG SAUER P229. This guide provides essential safety instructions and guidelines to ensure safe handling and use of the product. Please read this document carefully before use to understand the necessary precautions and procedures.

## General Safety Guidelines

- Ensure that the recoil spring is compatible with your firearm model (Sig Sauer P229).
- Always handle firearms with care and follow all safety protocols.
- Store the recoil spring in a cool, dry place away from direct sunlight and moisture.
- Regularly inspect the recoil spring for signs of wear or damage before installation and use.
- Keep this product out of reach of children and unauthorized users.

## Specific Safety Precautions for Use

- Do not use the recoil spring if it shows any signs of damage or deformation.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.
- Ensure that the firearm is unloaded and pointed in a safe direction before installing or replacing the recoil spring.
- Follow the manufacturer's instructions for your firearm to ensure proper installation of the recoil spring.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure your firearm is unloaded and safely stored.
- Gather necessary tools, including a punch tool and a clean cloth.

### 2. Removal of Old Recoil Spring

- Disassemble your firearm according to the manufacturer's instructions.
- Carefully remove the old recoil spring from the recoil guide.

### 3. Installation of New Recoil Spring

- Take the new recoil spring and inspect it for any defects.
- Align the recoil spring with the recoil guide and press it into place.
- Ensure that the spring is seated properly and securely.

### 4. Reassembly

- Reassemble your firearm following the manufacturer's instructions.
- Perform a function check to ensure everything operates correctly.

### 5. Usage

- After installation, use your firearm in accordance with all safety guidelines and operational procedures.
- Regularly check the recoil spring during routine maintenance.

## Disposal Instructions

- Dispose of the recoil spring in accordance with local regulations.
- Do not dispose of the recoil spring in regular household waste.
- Consider recycling options for metal components when possible.

## Contact Information for Further Support

For safety inquiries or additional support regarding the recoil spring, please refer to the manufacturer's contact details provided on the packaging or official website.

By following these guidelines, you can help ensure a safe and effective experience with the RECOIL SPRING FOR SIG SAUER P229. Always prioritize safety and compliance with local laws and regulations when handling firearms. Thank you for your attention to these important safety instructions.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)