

P320 TRIGGER BAR SPRING - SIG SAUER P320 TRIGGER BAR SPRING

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Trigger Bars](#)

Sig Sauer Factory trigger bar spring for the P320.



Attributes

- Name: [SIG SAUER P320 TRIGGER BAR SPRING](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 732000518
- Mfr. No.: SPRING5
- Make: Sig Sauer
- Model: P320
- Delivery weight: 0.002kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 191mm
- UPC: 798681480005

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for P320 Trigger Bar Spring
- About Us

Safety Instruction Guide for P320 Trigger Bar Spring

Introduction

Thank you for choosing the P320 Trigger Bar Spring by Sig Sauer. This guide provides essential safety instructions to ensure the safe use and handling of this product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's specifications.
- Always handle the trigger bar spring with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage before use.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the P320 Trigger Bar Spring with compatible Sig Sauer P320 models.
- Do not modify or alter the trigger bar spring in any way.
- Always wear appropriate safety gear, such as protective eyewear, when handling or installing the spring.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.
- Avoid using the spring if it shows signs of damage or excessive wear.
- Store the spring in a cool, dry place to prevent corrosion and deterioration.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: a screwdriver and any other tools specified in your firearm's manual.
- Ensure the firearm is unloaded and in a safe environment.

2. Installation:

- Remove the firearm's slide and frame according to the manufacturer's instructions.
- Locate the trigger assembly within the frame.
- Carefully remove the old trigger bar spring if applicable.
- Align the new P320 Trigger Bar Spring with the trigger assembly.
- Press the spring into place until it is securely seated.

3. Reassembly:

- Reattach the slide to the frame as per the manufacturer's guidelines.
- Conduct a function check to ensure that the trigger operates correctly.

4. Usage:

- Use the firearm only in a controlled environment, following all safety protocols.
- Regularly check the functionality of the trigger bar spring during routine maintenance.

Disposal Instructions

- Dispose of the P320 Trigger Bar Spring in accordance with local regulations.
- Do not dispose of the spring in regular household waste.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the P320 Trigger Bar Spring, please refer to the manufacturer's website or contact your local Sig Sauer representative. Ensure that you provide the product model and any relevant details when seeking assistance.

By following these guidelines, you can ensure the safe and effective use of the P320 Trigger Bar Spring. Thank you for prioritizing safety.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz