

# SIG SAUER 320 TAKE DOWN LEVER SPRING

[Handgun Parts](#) > [Frame Parts](#) > [Disassembly Parts](#) > [Levers & Latches](#)

Sig Sauer factory Take Down Lever Spring for the P320.



## Attributes

- Name: [SIG SAUER 320 TAKE DOWN LEVER SPRING](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 732000583
- Mfr. No.: 1300850R
- Make: Sig Sauer
- Model: P320
- Delivery weight: 0.068kg
- Shipping height: 5mm
- Shipping width: 102mm
- Shipping length: 191mm
- UPC: 798681524310

## Item details

Made in USA

# Table of Contents

- Startpage
- SIG SAUER 320 Take Down Lever Spring Safety Instructions
- About Us

# SIG SAUER 320 Take Down Lever Spring Safety Instructions

## Introduction

Thank you for choosing the SIG SAUER 320 Take Down Lever Spring. This guide provides essential safety instructions to ensure the safe use and maintenance of your product. Please read this document carefully before using the product.

## General Safety Guidelines

- Always handle firearms and their components with care and respect.
- Ensure that your firearm is unloaded before installing or replacing any parts.
- Store the Take Down Lever Spring in a safe and secure location, out of reach of children and unauthorized users.
- Regularly inspect the Take Down Lever Spring for signs of wear or damage.
- If you notice any defects or issues, do not use the product and contact a qualified professional for assistance.

## Specific Safety Precautions for Use

- Only use the Take Down Lever Spring with the SIG SAUER P320 model.
- Ensure that all installations are performed by a qualified gunsmith or experienced individual familiar with firearm maintenance.
- Do not attempt to modify or alter the Take Down Lever Spring in any way.
- Keep all tools and components organized and away from the working area to prevent accidents.
- Follow all local laws and regulations regarding firearm modifications and maintenance.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your workspace is clean and welllit.
- Gather all necessary tools and the new Take Down Lever Spring.

### 2. Disassembly of the Firearm:

- Ensure the firearm is pointed in a safe direction.
- Remove the magazine and check the chamber to confirm it is empty.
- Follow the manufacturer's guidelines to disassemble the P320 safely.

### 3. Removal of the Old Spring:

- Locate the existing Take Down Lever Spring.
- Carefully remove the old spring, taking note of its orientation and position.

### 4. Installation of the New Spring:

- Insert the new Take Down Lever Spring into the designated area.
- Ensure it is properly seated and aligned according to the manufacturer's specifications.

### 5. Reassembly of the Firearm:

- Follow the manufacturer's guidelines to reassemble the P320.

- Doublecheck that all components are securely fitted and that the firearm functions correctly.

#### **6. Final Inspection:**

- Conduct a thorough inspection of the firearm to ensure it operates safely.
- Test the action of the Take Down Lever to confirm proper installation.

## **Disposal Instructions**

- Dispose of any old or damaged parts, including the old Take Down Lever Spring, in accordance with local regulations.
- Do not dispose of firearm components in regular household waste.
- Consider recycling options or contacting local waste management authorities for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any inquiries related to safety, installation, or product performance, please refer to the official SIG SAUER website or contact a qualified professional.

Thank you for prioritizing safety and responsible firearm ownership.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)