

SLIDE CATCH LEVER FOR SIG SAUER P239 - SLIDE CATCH LEVER, BLUE

[Handgun Parts](#) > [Frame Parts](#) > [Slide Catch Parts](#) > [Slide Catches](#)

Factory replacement slide catch lever for Sig Sauer P239.

NO IMAGE
AVAILABLE

Attributes

- Name: [SLIDE CATCH LEVER, BLUE](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 732000600
- Mfr. No.: 1201183
- Caliber: 9 mm (.355-.356)
- Finish: Blued
- Make: Sig Sauer
- Model: P229
- Delivery weight: 0.011kg
- Shipping height: 6mm
- Shipping width: 97mm
- Shipping length: 191mm
- UPC: 798681504572

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- SLIDE CATCH LEVER FOR SIG SAUER P239 Safety Instruction Guide
- About Us

SLIDE CATCH LEVER FOR SIG SAUER P239 Safety Instruction Guide

Introduction

Thank you for choosing the SLIDE CATCH LEVER for your Sig Sauer P239. This product is designed to replace the original slide catch lever, ensuring optimal functionality and performance. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is compatible with your specific firearm model before installation.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any defects or damages before use.
- Report any concerns regarding product safety to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the slide catch lever if it appears damaged or worn.
- Ensure that the firearm is unloaded before performing any installation or maintenance.
- Follow all manufacturer guidelines for the safe handling and storage of firearms.
- Be aware of your surroundings and ensure that you are in a safe location when using the firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather necessary tools, including a screwdriver suitable for the installation.

2. Installation Steps

- Remove the existing slide catch lever from the firearm by unscrewing it carefully.
- Align the new slide catch lever with the mounting area.
- Secure the slide catch lever by tightening the screw until it is snug but not overly tight.

3. PostInstallation Check

- Verify that the slide catch lever moves freely and engages properly.
- Conduct a function check to ensure that the firearm operates correctly with the new component.

4. Usage

- Familiarize yourself with the operation of the slide catch lever before using the firearm.
- Always follow safe handling practices when operating the firearm.

Disposal Instructions

- Dispose of any old or damaged components in accordance with local regulations regarding hazardous waste.
- Ensure that any nonfunctioning parts are securely stored or disposed of to prevent accidental use.

Contact Information for Further Support

For any questions or concerns regarding the SLIDE CATCH LEVER or its installation, please reach out to the designated EU contact point provided by the manufacturer.

By following these guidelines, you contribute to a safer environment for yourself and others. Always prioritize safety when handling firearms and related accessories. Thank you for your attention to these important safety instructions.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz