

SIG SAUER P365 EXTRACTOR KIT

[Handgun Parts](#) > [Action Parts](#) > [Extractor Parts](#) > [Extractors](#)

Replacement extractor, pin, spring, and insert for the Sig Sauer P365.



Attributes

- Name: [SIG SAUER P365 EXTRACTOR KIT](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 732000650
- Mfr. No.: KIT-365-EXTRACT
- Caliber: 9 mm (.355-.356)
- Finish: Blued
- Make: Sig Sauer
- Model: P365
- Delivery weight: 0.068kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 798681593958

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- SIG SAUER P365 Extractor Kit Safety Instructions
- About Us

SIG SAUER P365 Extractor Kit Safety Instructions

Introduction

Thank you for choosing the SIG SAUER P365 Extractor Kit. This product is designed to replace the extractor, pin, spring, and insert for the Sig Sauer P365 firearm. Please read this safety instruction guide thoroughly to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that all safety precautions are followed during the installation and usage of the extractor kit.
- Always keep the firearm unloaded when performing maintenance or installation.
- Store the extractor kit and all firearm components out of reach of children and unauthorized users.
- Be aware of your local laws and regulations regarding firearm maintenance and modifications.
- Regularly check for product recalls or safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Only use the extractor kit with the Sig Sauer P365 model.
- Verify that the firearm is unloaded before beginning any installation.
- Wear protective eyewear during installation to prevent injury from small parts.
- Do not attempt to modify or alter the extractor kit components.
- If you experience any difficulty during installation or usage, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation, including a punch tool and hammer.

2. Removing the Old Extractor

- Disassemble the firearm according to the manufacturer's guidelines.
- Locate the extractor and carefully remove it using the punch tool.
- Dispose of the old extractor in accordance with local regulations.

3. Installing the New Extractor

- Take the new extractor from the kit and align it with the extractor slot.
- Use the punch tool to gently press the new extractor into place until it is secured.
- Ensure that the extractor is properly seated and functioning.

4. Reassembly of the Firearm

- Carefully reassemble the firearm following the manufacturer's instructions.
- Perform a function check to ensure that the extractor is working properly.

5. Usage

- Regularly inspect the extractor for signs of wear or damage.
- Clean the extractor as part of your regular firearm maintenance routine.

Disposal Instructions

- Dispose of any old or unused components in accordance with local waste disposal regulations.
- Do not dispose of firearm components in general waste; check for local hazardous waste disposal options.

Contact Information for Further Support

For any questions or concerns regarding the SIG SAUER P365 Extractor Kit or its installation, please consult a qualified gunsmith or your local SIG SAUER representative. Additionally, stay informed about safety updates by checking the EU Safety Gate platform regularly.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz