

SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY

[Handgun Parts](#) > [Action Parts](#) > [Firing Pin Parts](#) > [Firing Pins](#)

Replacement 9mm Luger striker assembly for the Sig Sauer P365.



Attributes

- Name: [SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: 732000662
- Mfr. No.: KIT365STRIKER
- Caliber: 9 mm (.355-.356)
- Make: Sig Sauer
- Model: P365
- Delivery weight: 0.023kg
- Shipping height: 1mm
- Shipping width: 114mm
- Shipping length: 191mm
- UPC: 798681594061

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY Safety Instruction Guide](#)
- [About Us](#)

SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY

Safety Instruction Guide

Introduction

Thank you for choosing the SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY. This guide provides essential safety instructions, precautions, and installation guidelines to ensure the safe use of this product. Please read this document carefully before use to understand how to handle the striker assembly safely and effectively.

General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure that the firearm is unloaded before performing any maintenance or installation procedures.
- Keep the striker assembly and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the striker assembly for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the use and ownership of firearms and firearm components.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Stay informed about product recalls and safety alerts via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only compatible firearms with the SIG SAUER P365 striker assembly.
- Do not attempt to modify or alter the striker assembly in any way.
- Wear appropriate eye protection when handling firearms or firearm components.
- Always point the firearm in a safe direction when installing or handling the striker assembly.
- Ensure that the firearm is in a safe environment free from distractions when performing maintenance.
- If you are unsure about the installation or use of the striker assembly, seek assistance from a qualified gunsmith or firearms expert.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation (if required).
- Work in a welllit and clean area.

2. Installation Steps

- Remove the slide from the SIG SAUER P365 according to the manufacturer's instructions.
- Locate the existing striker assembly and carefully remove it.
- Inspect the striker channel for any debris or obstructions.
- Insert the new SIG SAUER P365 striker assembly into the striker channel.
- Ensure that the assembly is seated properly and securely.

3. PostInstallation Checks

- Reassemble the slide onto the firearm.
- Perform a function check to ensure the striker assembly operates correctly.
- If any issues are detected during the function check, do not use the firearm and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the striker assembly in accordance with local regulations for hazardous materials.
- Do not dispose of the striker assembly in regular household waste.
- Contact a local firearms dealer or waste management facility for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY, please refer to the manufacturer's contact point provided with the product packaging or documentation.

By following these safety instructions, you can help ensure safe and effective use of your SIG SAUER P365 9MM LUGER STRIKER ASSEMBLY. Thank you for your attention to safety, and enjoy your product responsibly.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz