

PRO JAGS - ACCUPRO .375/380 CALIBER PRO JAG

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Rubber O-Ring Protects The Crown From Damage

Exclusive, rubber O-Ring gently centers the jag and patch in the muzzle, and all the way through the bore, to help prevent muzzle damage. Pointed, brass jag firmly holds all types of patches for efficient swabbing during cleaning. 12 gauge, 8 - 32 fits standard rifle cleaning rod. 12 gauge, 5/16"- 27 fits standard shotgun cleaning rod.



Attributes

- Name: [ACCPRO .375/380 CALIBER PRO JAG](#)
- Manufacturer: [ACCPRO](#)
- Product no.: 745022375
- Mfr. No.: 22375CS
- Caliber: 375 Caliber,380 Caliber
- Delivery weight: 0.014kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 757883223759

Item details

Made in USA

Table of Contents

- Startpage
- PRO JAGS ACCUPRO .375/380 CALIBER PRO JAG Safety Instruction Guide
- About Us

PRO JAGS ACCUPRO .375/380 CALIBER PRO JAG Safety Instruction Guide

Introduction

Thank you for choosing the PRO JAGS ACCUPRO .375/380 CALIBER PRO JAG. This product is designed for effective cleaning of firearms. To ensure safe use and optimal performance, please read this safety instruction guide carefully.

General Safety Guidelines

- Always handle firearms with care and follow all safety rules.
- Ensure that the cleaning area is wellventilated.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the PRO JAG for any damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm cleaning and maintenance.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use the PRO JAG only with compatible patches and cleaning rods.
- Ensure the firearm is unloaded before cleaning.
- Do not force the jag into the bore; it should fit snugly but not tightly.
- Avoid using excessive force while cleaning to prevent damage to the firearm.
- Do not use the jag for purposes other than cleaning.
- Wear safety glasses to protect your eyes from debris while cleaning.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded.
- Gather all necessary cleaning supplies, including patches, cleaning rod, and solvent.

2. Installation:

- Attach the PRO JAG to the cleaning rod.
- For standard rifle cleaning rods, use the 8 32 thread.
- For standard shotgun cleaning rods, use the 5/16" 27 thread.

3. Usage:

- Center the patch on the jag, ensuring the rubber Oring holds it in place.
- Insert the jag gently into the muzzle of the firearm.
- Pull the jag through the bore slowly and steadily.
- Repeat as necessary until the bore is clean.
- After cleaning, remove the jag and patch from the bore.

4. PostCleaning:

- Inspect the jag for any wear or damage before storing.
- Store the PRO JAG in a dry place, away from children.

Disposal Instructions

- Dispose of any used patches and cleaning materials according to local regulations.
- Do not dispose of the PRO JAG in regular household waste. Check local guidelines for proper disposal of cleaning tools.

Contact Information for Further Support

For inquiries or concerns regarding safety and usage of the PRO JAGS ACCUPRO .375/380 CALIBER PRO JAG, please contact your local distributor or the manufacturer. Ensure you have the product information ready for a quicker response.

By following these guidelines, you can ensure a safe and effective cleaning experience with your PRO JAGS ACCUPRO .375/380 CALIBER PRO JAG. Thank you for prioritizing safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk