

33 NOSLER NECK DIE - RCBS 33 NOSLER NECK DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

Gentlest Way To Resize - Ideal for Cartridges Fired in Only One Rifle

The Neck Sizer Die features an Expander-Decapping Unit. It resizes the case neck only (it doesn't touch the shoulder or body) and de-primers.



Attributes

- Name: [RCBS 33 NOSLER NECK DIE](#)
- Manufacturer: [RCBS](#)
- Product no.: 747000023
- Mfr. No.: 29330
- Cartridge: 33 Nosler
- Delivery weight: 0.34kg
- Shipping height: 38mm
- Shipping width: 114mm
- Shipping length: 152mm
- UPC: 604544622867

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 33 Nosler Neck Die](#)
- [About Us](#)

Safety Instruction Guide for 33 Nosler Neck Die

Introduction

Thank you for choosing the 33 Nosler Neck Die by RCBS. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the Neck Sizer Die.

General Safety Guidelines

- Always use the Neck Die in accordance with the manufacturer's instructions.
- Ensure that the workspace is clean and free from obstructions.
- Keep the product out of reach of children and vulnerable individuals.
- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling reloading equipment.
- Regularly inspect the Neck Die for signs of wear or damage before each use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the Neck Die if you are unfamiliar with reloading practices. Seek guidance from experienced reloaders or instructional materials.
- Always ensure that the die is properly secured in the reloading press before use.
- Avoid overtightening the die, as this may cause damage.
- Never attempt to resize a case that is excessively damaged or deformed.
- Always handle primers with care to avoid accidental ignition.
- Do not exceed recommended loads or specifications for the 33 Nosler cartridge.

Instructions for Installation and Usage

1. Installation of the Neck Die:

- Ensure the reloading press is turned off and unplugged (if applicable).
- Remove any existing die from the press and clean the threads.
- Screw the Neck Die into the press until it is securely fitted.
- Adjust the die according to the manufacturer's instructions for the desired neck tension.

2. Using the Neck Die:

- Insert a clean, empty 33 Nosler case into the shell holder of the press.
- Pull the handle to raise the ram, bringing the case into contact with the die.
- Continue to pull the handle until the case is fully resized.
- Release the handle and remove the resized case from the shell holder.
- Inspect the resized case for proper neck tension and overall integrity.

3. Depriming:

- The Neck Die features an ExpanderDecapping Unit that will deprime the case during resizing.
- Ensure that the primer pocket is clean and free from debris before reloading.

Disposal Instructions

- Dispose of any damaged or unusable components in accordance with local regulations.
- Do not dispose of reloading materials, including primers and powder, in regular trash.

- Contact local waste management authorities for proper disposal methods for hazardous materials.

Contact Information for Further Support

For any safety inquiries or support regarding the 33 Nosler Neck Die, please reach out to the appropriate support channels provided by the manufacturer or consult the product packaging for further details.

By following these safety instructions, you can ensure a safe and effective reloading experience with the 33 Nosler Neck Die by RCBS. Always prioritize safety and do not hesitate to seek assistance if needed.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk