

AUTO PRIME SHELLHOLDERS - LEE AUTO PRIME SHELLHOLDER #4

[Reloading](#) > [Shellholders & Shellplates](#)

Lee Universal Shell Holders function in the Lee handheld priming tools. Machined to close tolerances for maximum accuracy. Manufactured from hardened steel. View Lee Shellholder Chart



Attributes

- Name: [LEE AUTO PRIME SHELLHOLDER #4](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 749000424
- Mfr. No.: 90204
- Cartridge: 17 Remington, 17 Mach IV, 17 Remington Fireball, 204 Ruger, 221 Remington Fireball, 222 Remington, 222 Remington Mag, 223 Remington, 6 mm TCU, 6 x 47 Lapua, 7 mm TCU
- Style: Priming Tool
- Delivery weight: 0.032kg
- Shipping height: 3mm
- Shipping width: 94mm
- Shipping length: 127mm
- UPC: 734307902049

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [AUTO PRIME SHELLHOLDERS LEE AUTO PRIME SHELLHOLDER #4 Safety Instruction Guide](#)
- [About Us](#)

AUTO PRIME SHELLHOLDERS LEE AUTO PRIME SHELLHOLDER #4 Safety Instruction Guide

Introduction

Thank you for choosing the AUTO PRIME SHELLHOLDER #4 by LEE PRECISION. This product is designed to assist you in the safe and efficient priming of various cartridges. It is crucial to follow the safety guidelines outlined in this document to ensure your safety and the proper functioning of the product.

General Safety Guidelines

- Always read and understand the instructions before using the product.
- Keep the product out of reach of children and vulnerable individuals.
- Ensure that the workspace is clean, dry, and free from distractions.
- Use the product only for its intended purpose as specified in the product details.
- Regularly inspect the product for signs of wear or damage. Do not use if damaged.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only the specified cartridges: 223 Remington, 204 Ruger, 221 Remington Fireball, 222 Remington, 17 Remington, 222 Remington Mag, 7 mm TCU, 6 x 47 Lapua, 17 Remington Fireball, 17 Mach IV, 6 mm TCU.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the product.
- Do not exceed the recommended cartridge specifications to prevent malfunction.
- Ensure that the priming tool is securely attached to the shell holder before use.
- Avoid using excessive force when operating the tool to prevent injury or damage.
- Always keep your hands and other body parts clear of moving parts during operation.
- Do not attempt to modify the product in any way, as this may compromise safety.

Instructions for Installation and Usage

1. Installation:

- Ensure the priming tool is clean and free from debris.
- Select the appropriate shell holder for your cartridge.
- Attach the shell holder securely to the priming tool, ensuring it is locked in place.

2. Usage:

- Place the cartridge in the shell holder.
- Align the cartridge with the priming tool.
- Apply gentle pressure to the priming tool handle to seat the primer.
- Inspect the cartridge after priming to ensure the primer is seated correctly.
- Repeat the process for additional cartridges, ensuring to follow the same procedure.

Disposal Instructions

- Dispose of any unused or damaged primers and cartridges in accordance with local regulations.
- Do not throw away the product in regular household waste. Instead, follow local electronic waste disposal guidelines.
- Ensure that all hazardous materials are disposed of responsibly and in compliance with environmental

regulations.

Contact Information for Further Support

For any inquiries regarding the AUTO PRIME SHELLHOLDER #4, please refer to the manufacturer's support resources or your point of purchase.

Thank you for your attention to these safety guidelines. By following these instructions, you can ensure a safe and effective experience with your AUTO PRIME SHELLHOLDER #4.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at