

O-RING REPLACEMENT KITS - SINCLAIR INTERNATIONAL O-RING REPLACEMENT KIT, 17 CALIBER, 5 PACK

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

The O-rings on your Sinclair bore guides, snouts for Sinclair All Purpose Rod Guides, Solvent Ports and Chamber Plugs should be replaced occasionally because solvents and use eventually wear them out. We use three sizes of O-rings only, so having some spares on hand is not expensive. The 222 and 223 family of guides and the 17 caliber guides do require the O-ring installation tool included in the O-ring kits. The two larger size O-rings can be installed fairly easily without the tool, though the kits include the tool for almost no additional charge over the 10 O-rings. All three O-ring sizes are available separately in 5-packs.



Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING REPLACEMENT KIT, 17 CALIBER, 5 PACK](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749000644
- Mfr. No.: RG9172
- Delivery weight: 0.032kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [ORing Replacement Kits Safety Instructions](#)
- [About Us](#)

ORing Replacement Kits Safety Instructions

Introduction

Thank you for choosing the ORing Replacement Kits from Sinclair International. This guide provides essential safety instructions and information to ensure the safe and effective use of the product. Please read this guide thoroughly before using the ORing Replacement Kits.

General Safety Guidelines

- Ensure that the ORing Replacement Kits are used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the Orings for wear and replace them as necessary to avoid potential hazards.
- Do not use the product for purposes other than those intended by the manufacturer.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Only use the ORing Replacement Kits with compatible Sinclair bore guides, snouts for Sinclair All Purpose Rod Guides, solvent ports, and chamber plugs.
- Handle Orings with care to avoid damaging them during installation.
- Use the Oring installation tool provided in the kit for the 222 and 223 family of guides, as well as the 17 caliber guides.
- If you experience difficulty installing the Orings, cease use and consult the installation instructions or seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components, including the Oring installation tool and the Orings.
- Ensure your work area is clean and free of debris.

2. Installation of ORings

- For the 222, 223 family, and 17 caliber guides:
 - Use the Oring installation tool included in the kit for proper installation.
 - Carefully place the Oring onto the tool and align it with the guide.
 - Press down gently to secure the Oring in place.
- For the two larger size Orings:
 - These can be installed without the tool if preferred.
 - Align the Oring with the guide and gently press it into place.

3. PostInstallation

- After installation, inspect the Orings for proper fit and alignment.
- Dispose of any old or damaged Orings responsibly.

Disposal Instructions

- Dispose of used Orings in accordance with local regulations regarding waste management.
- Do not dispose of Orings in the environment as they may contribute to pollution.

Contact Information for Further Support

For inquiries regarding safety or product usage, please refer to the manufacturer's contact details provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your ORing Replacement Kits from Sinclair International!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk