

# LOCK-N-LOAD MODIFIED CASES - 6MM PPC SAKO MODIFIED CASE

[Reloading](#) > [Measuring Tools](#) > [Bullet Seating Depth Tools](#)

There are over 60 different modified cases available to use with Hornady Lock-N-Load Gauge. Hornady will make custom cartridges for those not listed.

Details are available in the instructions. Modified cases will not work in tight neck chambers.



## Attributes

- Name: [6MM PPC SAKO MODIFIED CASE](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749000731
- Mfr. No.: B6PPC
- Diameter (in): -
- Náboje: 6 PPC
- Series: B
- Delivery weight: 0.045kg
- Shipping height: 10mm
- Shipping width: 43mm
- Shipping length: 124mm
- UPC: 090255704440

## Item details

Made in USA

# Table of Contents

- Startpage
- LOCKNLOAD MODIFIED CASES 6MM PPC SAKO MODIFIED CASES Safety Instructions
- About Us

# LOCKNLOAD MODIFIED CASES 6MM PPC SAKO MODIFIED CASES Safety Instructions

## Introduction

Thank you for choosing the LOCKNLOAD MODIFIED CASES 6MM PPC SAKO MODIFIED CASE. This product is designed to enhance your reloading experience with the Hornady LockNLoad Gauge. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that you are familiar with the operation of the Hornady LockNLoad Gauge before using modified cases.
- Always handle all reloading components with care and in accordance with standard safety practices.
- Keep modified cases out of reach of children and unauthorized users.
- Regularly inspect modified cases for any signs of damage or wear before use.
- Report any unsafe products or accidents to the relevant authorities and check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Modified cases are not compatible with tight neck chambers. Ensure that your chamber is suitable for use with these cases.
- Always wear appropriate safety gear, including safety glasses, when handling reloading equipment.
- Follow the manufacturer's instructions regarding the use of modified cases with the Hornady LockNLoad Gauge.
- Do not exceed the recommended load specifications for your reloading setup.
- If you experience any malfunctions or issues during use, cease operation immediately and consult the instructions or seek professional assistance.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that you have all necessary tools and components ready before starting the reloading process.
- Verify that the Hornady LockNLoad Gauge is clean and functioning properly.

### 2. Using Modified Cases

- Select the appropriate modified case for your specific reloading needs.
- Insert the modified case into the Hornady LockNLoad Gauge according to the manufacturer's instructions.
- Adjust the gauge settings as needed to achieve the desired bullet seating depth.

### 3. Reloading Process

- Follow standard reloading procedures, ensuring that you are using the correct powder and bullets for your specific cartridge.
- Monitor the reloading process closely to ensure consistency and safety.

### 4. PostUse Care

- After use, clean the modified cases thoroughly to remove any residue or contaminants.
- Store modified cases in a cool, dry place away from direct sunlight and moisture.

## **Disposal Instructions**

- Dispose of any damaged or unusable modified cases in accordance with local regulations.
- Do not throw modified cases in regular trash. Check with your local waste management authority for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the LOCKNLOAD MODIFIED CASES 6MM PPC SAKO MODIFIED CASE, please consult the product instructions or contact your local retailer for assistance.

By following these safety instructions, you can ensure a safe and effective reloading experience. Thank you for your attention to these important guidelines.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)