

PRESS TYPE SHELLHOLDERS - REDDING #35 SHELLHOLDER

[Reloading](#) > [Shellholders & Shellplates](#)

New tapered design allows for easy case entry. Machined to very close tolerances to fit your cases perfectly and eliminate potential problems. The universal design fits all popular presses. Only Redding shellholders are heat treated and have outside knurling to make them easy to handle and change. View Redding Shellholder Chart.



Attributes

- Name: [REDDING #35 SHELLHOLDER](#)
- Manufacturer: [REDDING](#)
- Product no.: 749001101
- Mfr. No.: 11035
- Cartridge: 338 Lapua
- Style: Press Type
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760110351

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for PRESS TYPE SHELLHOLDERS REDDING #35 SHELLHOLDER](#)
- [About Us](#)

Safety Instruction Guide for PRESS TYPE SHELLHOLDERS REDDING #35 SHELLHOLDER

Introduction

Thank you for choosing the Redding #35 Shellholder. This product is designed for use with various reloading presses to assist in the reloading of cartridges. It is essential to follow the safety guidelines and instructions provided in this manual to ensure safe and effective use.

General Safety Guidelines

- Always read and understand the instructions before using the shellholder.
- Keep the shellholder out of reach of children and vulnerable individuals.
- Inspect the shellholder for any signs of damage before use. Do not use if damaged.
- Ensure that your workspace is clean and free from distractions while reloading.
- Use appropriate safety gear, such as safety glasses, when handling ammunition components.
- Follow all local laws and regulations regarding ammunition and reloading practices.

Specific Safety Precautions for Use

- Ensure the shellholder is compatible with your reloading press.
- Always doublecheck that the shellholder is securely attached to the press before use.
- Do not attempt to modify or alter the shellholder in any way.
- Avoid using excessive force when inserting or removing cases from the shellholder.
- Keep hands and other body parts clear of moving parts during operation.
- Store the shellholder in a dry, cool place when not in use to prevent corrosion.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is unplugged or disconnected from any power source.
- Locate the shellholder slot on your reloading press.
- Insert the Redding #35 Shellholder into the slot until it clicks into place securely.
- Check to ensure that the shellholder is firmly seated and does not wobble.

2. Usage:

- Prepare your workspace by laying out all necessary tools and components.
- Place a cleaned and resized cartridge case into the shellholder.
- Operate the reloading press according to the manufacturer's instructions, ensuring that the shellholder remains in place.
- After reloading, carefully remove the case from the shellholder.
- Inspect the reloaded cartridge for any defects before storage or use.

Disposal Instructions

- Dispose of the shellholder in accordance with local waste management regulations.
- If the shellholder is damaged beyond use, consider recycling it where facilities exist.
- Do not dispose of the shellholder in regular household waste if it is made of hazardous materials.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective reloading experience with the Redding #35 Shellholder. Always prioritize safety and adhere to best practices while handling ammunition components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk