

TYPE B CUSTOM DROP TUBES 6.5MM AND UP - 6.5MM 4" TYPE B CUSTOM DROP TUBE

[Reloading](#) > [Powder Handling](#) > [Powder Measures & Dispensers](#)

Sinclair Custom Type B Drop Tubes are clear acrylic so you can observe your powder charge as it drops. Each drop tube is fitted with an aluminum sleeve to insure a perfect fit in your powder measure or drop tube adapter. Our 6.5mm and up drop tubes are available in 1/4" inside diameter and 4 different lengths. The longer lengths are great when you are trying to get more powder in a high fill case, especially when using longer bullets. Type B Drop Tubes will fit Lyman, Dodd, Bruno and older Sinclair/Culver style powder measures directly, no adapters are needed.



Attributes

- Name: [6.5MM 4" TYPE B CUSTOM DROP TUBE](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749001221
- Mfr. No.: 111700
- Caliber: 264/6.5 mm (.264)
- Cartridge: -
- Inside Diameter: .25"
- Length: 4"
- Delivery weight: 0.068kg
- Shipping height: 15mm
- Shipping width: 53mm
- Shipping length: 147mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TYPE B CUSTOM DROP TUBES 6.5MM AND UP](#)
- [About Us](#)

Safety Instruction Guide for TYPE B CUSTOM DROP TUBES 6.5MM AND UP

Introduction

Thank you for choosing the Sinclair Custom Type B Drop Tubes. This guide provides essential safety instructions and guidelines for the proper use of this product. It is important to read and understand these instructions to ensure safe operation and to minimize any associated risks.

General Safety Guidelines

- Always use the drop tubes in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the drop tube for any damage or defects before use.
- Do not use the drop tube if it is cracked, broken, or otherwise damaged.
- Ensure that the drop tube is compatible with your powder measure or drop tube adapter.
- Use the drop tube only for its intended purpose, which is to dispense powder for reloading ammunition.

Specific Safety Precautions for Use

- Wear safety glasses to protect your eyes from any potential powder spills.
- Handle powders with care, as they can be flammable or hazardous.
- Do not exceed the recommended powder capacity for your specific drop tube.
- Avoid using the drop tube in any environment that is damp or humid to prevent any potential degradation of the acrylic material.
- Always work in a wellventilated area when handling powders.
- Store the drop tube in a cool, dry place when not in use.

Instructions for Installation and Usage

1. Installation:

- Ensure that your powder measure or drop tube adapter is clean and free of debris.
- Insert the drop tube into the powder measure or adapter until it fits snugly.
- Verify that the aluminum sleeve is properly aligned to ensure a secure fit.

2. Usage:

- Before filling the drop tube with powder, confirm that it is clean and undamaged.
- Carefully pour the desired amount of powder into the drop tube.
- Allow the powder to settle before dispensing to ensure an accurate charge.
- After use, empty the drop tube and clean it according to the manufacturer's instructions.

Disposal Instructions

- Dispose of the drop tube in accordance with local regulations regarding plastic waste.
- If the drop tube is damaged or no longer usable, consider recycling if facilities are available.
- Do not dispose of the drop tube in a manner that could harm the environment.

Contact Information for Further Support

For any safety inquiries or support regarding the TYPE B Custom Drop Tubes, please refer to the contact

information provided by the manufacturer or retailer where you purchased the product.

By following these safety instructions and guidelines, you can ensure a safe and effective experience while using the Sinclair Custom Type B Drop Tubes. Thank you for prioritizing safety in your reloading practices.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at