

BULLET PULLER COLLET - HORNADY BULLET PULLER COLLET/410 CAL

[Reloading](#) > [Case Preparation](#) > [Bullet Pullers](#)

The Hornady Cam-Lock Bullet Puller is the nicest collet style puller we have used. The cam feature locks the collet around the bullet and uses your press leverage to pull the bullet. We are really impressed with the quality of this tool and smoothness of operation.



Attributes

- Name: [HORNADY BULLET PULLER COLLET/410 CAL](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749001296
- Mfr. No.: 392164
- Caliber: 41 Caliber (.410-.412)
- Delivery weight: 0.023kg
- Shipping height: 15mm
- Shipping width: 46mm
- Shipping length: 76mm
- UPC: 090255921649

Item details

Made in USA

Table of Contents

- Startpage
- Hornady Bullet Puller Collet Safety Instructions
- About Us

Hornady Bullet Puller Collet Safety Instructions

Introduction

Thank you for choosing the Hornady CamLock Bullet Puller Collet. This tool is designed to safely and efficiently pull bullets from cartridge cases. Please read this safety instruction guide carefully to ensure safe use and compliance with EU safety standards.

General Safety Guidelines

- Always ensure that you are using the bullet puller in a safe environment, free from distractions.
- Keep the bullet puller and all associated tools out of reach of children and vulnerable individuals.
- Inspect the bullet puller before each use to ensure it is in good working condition.
- Follow all local laws and regulations regarding the handling of ammunition and reloading equipment.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear safety glasses to protect your eyes from potential debris.
- Use the bullet puller only with the specified calibers (41 Caliber / .410.412).
- Ensure that the bullet puller is securely attached to your reloading press before use.
- Do not exceed the recommended torque when using the bullet puller.
- Avoid using excessive force; if the bullet does not come free, stop and reassess the situation.
- Do not use the bullet puller if it appears damaged or worn.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is properly set up and secured.
- Attach the Hornady CamLock Bullet Puller Collet to the press according to the manufacturer's instructions.
- Make sure the collet is compatible with the bullet caliber you are working with.

2. Usage:

- Insert the cartridge case into the bullet puller collet.
- Adjust the collet to securely grip the bullet.
- Use the lever of your reloading press to pull the bullet. The cam feature will lock the collet around the bullet, allowing you to use the press leverage effectively.
- Once the bullet is pulled, carefully remove the cartridge case from the collet.

Disposal Instructions

- Dispose of any damaged or unusable parts of the bullet puller in accordance with local regulations.
- Recycle the materials whenever possible.
- Do not dispose of any ammunition or components in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the use of the Hornady Bullet Puller Collet, please refer to the manufacturer's website or contact their customer service for assistance. Ensure you have the product details ready for efficient support.

By following these safety instructions, you can ensure a safe and effective experience with your Hornady CamLock Bullet Puller Collet. Thank you for prioritizing safety in your reloading practices.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz