

BULLET PULLER COLLET - HORNADY BULLET PULLER COLLET/308/312 C

[Reloading](#) > [Case Preparation](#) > [Bullet Pullers](#)

The Hornady Cam-Lock Bullet Puller is the nicest collet style puller we have used. The cam feature locks the collet around the bullet and uses your press leverage to pull the bullet. We are really impressed with the quality of this tool and smoothness of operation.



Attributes

- Name: [HORNADY BULLET PULLER COLLET/308/312 C](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749001376
- Mfr. No.: 392160
- Caliber: 30 Caliber (.308), 7.62x39 (.310), 303/7.7 mm (.311-.312), 32 Caliber (.312-.313)
- Delivery weight: 0.018kg
- Shipping height: 15mm
- Shipping width: 38mm
- Shipping length: 76mm
- UPC: 090255921601

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Hornady Bullet Puller Collet](#)
- [About Us](#)

Safety Instruction Guide for Hornady Bullet Puller Collet

Introduction

Thank you for choosing the Hornady CamLock Bullet Puller. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this manual carefully before using the Bullet Puller to minimize risks and enhance your experience.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always wear appropriate safety gear, including safety glasses and gloves, when using the Bullet Puller.
- Keep the Bullet Puller out of reach of children and unauthorized users.
- Regularly inspect the tool for any signs of damage or wear before use.
- Follow all instructions carefully to avoid accidents and injuries.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Only use the Bullet Puller with compatible calibers: 30 Caliber (.308), 32 Caliber (.312.313), 303/7.7 mm (.311.312), and 7.62x39 (.310).
- Do not attempt to modify or repair the Bullet Puller yourself. Seek professional assistance for repairs.
- Ensure the press is securely mounted and stable before using the Bullet Puller.
- Avoid placing fingers or hands near the collet while in operation to prevent injury.
- Use the Bullet Puller in a welllit area to enhance visibility and safety.

Instructions for Installation and Usage

1. Setup:

- Securely mount your reloading press on a stable surface.
- Ensure that the press is compatible with the Hornady Bullet Puller.

2. Installation of the Bullet Puller:

- Attach the Hornady Bullet Puller to the reloading press according to the manufacturer's instructions.
- Make sure the collet is properly aligned and secured in place.

3. Using the Bullet Puller:

- Select the appropriate collet for the caliber you are working with.
- Insert the bullet into the collet and ensure it is seated properly.
- Engage the cam feature by pulling down on the handle of the press to lock the collet around the bullet.
- Apply steady pressure to pull the bullet from the cartridge case. Avoid sudden jerks or excessive force.
- Once the bullet is removed, release the pressure and carefully remove the collet from the press.

4. PostUse Care:

- Clean the Bullet Puller after each use to maintain its functionality.

- Store the Bullet Puller in a dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of any damaged or unusable parts of the Bullet Puller according to local regulations.
- Recycle any metal components where possible.
- Do not dispose of the Bullet Puller in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Hornady Bullet Puller, please reach out to the manufacturer or authorized dealer. An EUbased contact point is available for safety inquiries.

Thank you for your attention to these safety instructions. Your safety is our priority. Enjoy your reloading experience with the Hornady CamLock Bullet Puller!

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz