

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.368

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.368](#)
- Manufacturer: [REDDING](#)
- Product no.: 749001934
- Mfr. No.: 73368
- Diameter (in): .368
- Delivery weight: 0.009kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760733680

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.368
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.368

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.368. This product is designed for use in precision reloading applications. To ensure your safety and the safe use of this product, please read and follow the guidelines outlined in this instruction guide.

General Safety Guidelines

- Always ensure that the bushing is compatible with your reloading equipment before use.
- Inspect the bushing for any signs of damage or wear before each use.
- Keep the bushing out of reach of children and vulnerable individuals.
- Use the bushing only for its intended purpose to avoid accidents.
- Follow all manufacturer instructions for your reloading equipment.

Specific Safety Precautions for Use

- Wear appropriate safety gear, including safety glasses and gloves, when handling and using the bushing.
- Avoid using excessive force when resizing cases to prevent damage to the bushing and ensure personal safety.
- Do not exceed the recommended sizing diameters of .185" to .368" to maintain product integrity.
- Ensure that your workspace is clean and free from obstructions to prevent accidents during use.
- Always work in a wellventilated area to avoid inhalation of any particles generated during use.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and unplugged before installation.
- Select the appropriate bushing size based on your reloading requirements.
- Insert the bushing into the designated slot of your reloading die, ensuring a secure fit.
- Tighten any locking mechanisms as per the manufacturer's instructions to prevent the bushing from moving during use.

2. Usage:

- Prepare your cases by cleaning and inspecting them for any defects.
- Adjust your reloading press settings according to the manufacturer's guidelines.
- Insert the case into the press, ensuring it is properly aligned with the bushing.
- Gradually apply pressure to resize the case, ensuring that you do not exceed the recommended force.
- After resizing, remove the case and inspect it for proper sizing and any signs of damage.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations for metal recycling.
- Do not throw the bushing in regular household waste.
- If unsure about disposal methods, consult your local waste management authority for guidance.

Contact Information for Further Support

For any safety inquiries or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.368, please refer to the manufacturer's contact points provided in the product packaging or documentation.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.368. Always prioritize safety and refer to this guide as needed. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk