

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.252

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.252](#)
- Manufacturer: [REDDING](#)
- Product no.: 749001946
- Mfr. No.: 73252
- Diameter (in): .252
- Delivery weight: 0.032kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732522

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.252
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.252

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.252. This guide provides essential safety instructions to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR). Please read the following information carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for safe usage.
- Regularly inspect the bushings for any signs of wear or damage.
- Keep the bushings out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Risk of injury if the bushing is used improperly.
- Possible damage to equipment if the incorrect size is used.

• Avoiding Hazards:

- Always select the correct bushing size as indicated by the last three digits of the part number (#RD73XXX).
- Do not exceed the recommended sizing diameters.
- Ensure that the bushing is securely fitted before use to prevent accidents.
- Do not use damaged or worn bushings; replace them immediately.

Instructions for Installation and Usage

• Installation:

1. Identify the correct bushing size needed for your application.
2. Clean the area where the bushing will be installed to ensure a proper fit.
3. Carefully insert the bushing into the designated area, ensuring it is aligned correctly.
4. Secure the bushing in place according to the equipment's specifications.

• Usage:

- Use the bushing only within the specified sizing diameter range of .185" to .368".
- Apply a moderate amount of pressure during sizing to prevent excess wear on the bushing.
- Monitor the bushing during use for any signs of wear or damage.
- If you notice any irregularities, stop using the bushing immediately and conduct an inspection.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local waste disposal regulations.
- Do not dispose of bushings in household waste; check for recycling options in your area.
- Ensure that bushings are disposed of in a manner that prevents them from causing harm to the environment or to individuals.

Contact Information for Further Support

For any inquiries regarding the product or safety concerns, please refer to the manufacturer's contact information provided with your purchase.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk