

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.280

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.280](#)
- Manufacturer: [REDDING](#)
- Product no.: 749001997
- Mfr. No.: 73280
- Diameter (in): .280
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732805

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.280
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.280

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.280. This product is designed for precision and durability in neck sizing applications. To ensure safe and effective use, please read this safety instruction guide thoroughly.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the work area is clean and free from hazards before using the bushings.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the bushings for wear or damage before each use.
- If you encounter any issues or have questions about the product, consult a professional or contact the manufacturer.

Specific Safety Precautions for Use

- The bushings are made of heat treated steel and have a surface hardness of Rc 6062. Handle with care to avoid injury.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the bushings.
- Avoid using excessive force during sizing operations to prevent damage to the bushings or injury.
- Do not exceed the recommended sizing diameters. Using incorrect sizes may lead to equipment malfunction or accidents.
- If you notice any unusual sounds or resistance while using the bushings, stop immediately and inspect for damage.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your reloading equipment is compatible with the specified bushing diameter of .280.
- Gather all necessary tools and materials before starting the installation.

2. Installation:

- Remove any old bushings from your reloading equipment.
- Clean the bushing holder to remove any debris or residue.
- Insert the STEEL NECK BUSHING/.280 into the bushing holder, ensuring it fits securely.
- Tighten the holder according to the manufacturer's specifications to prevent movement during use.

3. Usage:

- Set your reloading press to the appropriate settings for neck sizing.
- Insert the cartridge case into the press and align it with the bushing.
- Apply smooth, even pressure to size the neck of the cartridge case.
- After sizing, inspect the cartridge case for proper fit and dimensions.

4. **PostUsage:**

- Remove the bushing from the holder and clean it to maintain its performance.
- Store the bushings in a safe and dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of steel bushings in regular household waste. Instead, consider recycling options available in your area.

Contact Information for Further Support

- For any questions or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.280, please consult your retailer or the manufacturer for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk