

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.282

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.282](#)
- Manufacturer: [REDDING](#)
- Product no.: 749001999
- Mfr. No.: 73282
- Diameter (in): .282
- Delivery weight: 0.032kg
- Shipping height: 8mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732829

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.282
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.282

Introduction

Thank you for purchasing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.282. This guide provides important safety information and instructions to ensure the safe use of this product. Please read the entire guide carefully before using the bushings.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the bushings out of reach of children and vulnerable individuals.
- Regularly inspect the bushings for any signs of wear or damage before each use.
- Always wear appropriate protective gear, such as safety glasses and gloves, when handling and using the bushings.
- If you experience any difficulty during use or notice any irregularities, cease use immediately and consult a professional.

Specific Safety Precautions for Use

- The bushings are made of heat treated steel and have a surface hardness of Rc 6062. Handle with care to avoid injury.
- Avoid using bushings that show signs of damage, such as cracks or significant wear, as this may lead to malfunction or injury.
- Ensure that the sizing diameters are properly matched to your equipment to prevent operational issues.
- Do not exceed the recommended sizing diameters when using the bushings.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and safety equipment before starting.
- Ensure your workspace is clean and free from obstructions.

2. Installation:

- Select the appropriate bushing size based on your requirements (sizes range from .185" to .368" in .001" increments).
- Insert the bushing into the designated area of your equipment according to the manufacturer's instructions.
- Ensure the bushing is securely fitted and properly aligned.

3. Usage:

- Follow the operational guidelines of your equipment when using the bushings.
- Monitor the performance during use; if you notice any irregularities, stop using the product immediately.
- Maintain a safe distance from moving parts during operation.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations for metal waste.
- Ensure that the bushings are not left in areas where they could pose a risk to others.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the contact information provided on the product packaging or the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.282. Always prioritize safety and consult professionals if you have any questions or concerns. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk